



No. 8017/2015/NIQ/20

Dated 17.07.2015

SHORT NOTICE INVITING QUOTATIONS

Sealed Item Rates quotations for the below mentioned work are hereby invited by the undersigned from approved and eligible Contractors of appropriate class registered in CPWD, DOP, MES, BSNL, Railways, Chhattisgarh State PWD (B&R) so as to reach this office on or before 21.07.2015 at 3.00 pm and the same will be opened on the same day at 3:30pm.

The right to reject any or all the quotations without assigning any reasons thereof shall rest with undersigned.

Sl No	NAME OF WORK	EST. COST in Rs.	E.M.D in Rs.	TIME
1	Providing Aluminium partition to start Intensive care unit in the existing causality/emergency/trauma ward of trauma building at AIIMS Raipur	1,23,980.00	NIL	5 Days

SCHEDULE OF QUANTITY

Sl.	Description of items	Quantity	Rate	Unit	Amount
.....As PER SHEET ATTACHED.....					

Terms & Conditions:

1. Quotation shall only be issued on application to eligible Contractors upto one day before scheduled date of opening.
2. The rates are to be quoted in words and figures including all taxes.
3. The work will be executed as per CPWD specifications and direction of the Engineer-In Charge.
4. The payment will be done after completion of work as per specification.
5. Time allowed for the completion of the work is 5 (Five) Days. It will be reckoned from the day award of the work.

(Signature of Contractor)

Issued to M/s /Shri _____

Executive Engineer
Project Cell
AIIMS, Raipur

SCHEDULE OF QUANTITY

Name of Work: Providing Aluminium partition to start Intensive care unit in the existing causality/emergency/trauma ward of trauma building at AIIMS Raipur.

Sr No	Description of item	Qty	Unit	Rate	Amount
	<u>Aluminium Works</u>				
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.(Glazing, paneling and dash fasteners to be paid for separately)				
A	For fixed portion				
(i)	Powder coated aluminium (minimum thickness of polyester powder coating 50 micron	160	Kg		
B	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing offittings wherever required including the cost of EPDM rubber /neoprene gasket required (Fittings shall be paid for separately)				
(i)	Powder coated aluminium (minimum thickness of polyester powder coating 50 micron	15	Kg		
2	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in paneling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				
A	Pre-laminated particle board with decorative lamination on both sides	20	Sq.m.		
3	Providing and fixing Stainless steel Handles,230mm or approved	4	Set		
4	Providing and fixing 4 lever Lock Godrej (100mm for aluminium door) or equivalent	2	Nos.		

5	Providing and fixing T rubber/Door Vertical Brush (to filling gap between door and frame)	10	RM		
6	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminium snap beading shall be paid in basic item):				
A	With float glass panes of 5.5 mm thickness	5	Sq.m.		
B	With 5 mm Pin Head Glass	5	Sq.m.		
C	With 12 mm thick Plain Glass	1	Sq.m.		
7	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
A	Upto 5mm depth and 5 mm width	10	meter		
8	Providing and fixing channel with rollers and accessories for Aluminium Sliding door with complete fittings as per direction of Engineer in charge.	8	meter		

(Signature of the Agency)

Executive Engineer
Project Cell, AIIMS Raipur