

अखिलभारतीयआयुर्विज्ञानसंस्थान ,रायपुर (छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road, Raipur-492 099 (CG)

Date: 21.05.2015

www.aiimsraipur.edu.in

Admin/Store/Purchase/Instrument- OBS - GYN/2015 AIIMS-RPR

Inviting Quotations for Supply of Instrument for Department of obstetrics & Gynaecology, AIIMS, Raipur

QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockist / Distributors having TIN and relevant documents for Supply of Instrument for Department of obstetrics & Gynaecology should be submitted to office of Store officer on 01.06.2015 Up to 3:00 pm. The quotations will be opened on the same day at 03.15 pm. The list should cover the following Items:-

Sr No	Item	Specification	Quantity	Unit
			Required	Rate in
1	Delivery Set Should consists up of	General specification: - All instruments should be FDA or European CE certified - Make and model should be encrypted on the instrument - All instruments should be made up of stain less steel medical grade - Should be rust proof antiglare 1. Sims Speculam Medium -2 2. Sponge Holding Forceps Big 4 3. Mosquito Forcep-2 4. Episiotomy Scissors-1 5. Needle Holder TC Tip 2(small and large) 6. Toothed Forcep-1 8 inch 7. Non Toothed Forceps -1 8. Mayo's Scissor Curved TC tip Medium - 1 Kocher's Clamp 8"-2 9. Tray with Lid big -1 10. Small Bowl -4" -2	7 Nos.	
2	Baby Tray	Stainless Steel tray without cover, the thickness should be 0.7mm/thickness 0.9mm(20G) 18 x 12 x 3 In	10Nos.	
3	Autoclaving Drum Small	Stainless Steel	7Nos.	
4	Autoclaving Drum medium	Stainless Steel	7Nos.	
5	Autoclaving Drum large	Stainless Steel	6Nos.	
6	Sterilizer	Electric steam sterilizer Should be made up of high quality rust proof stainless steel Should be suitable for steam sterilization/disinfection of surgical instruments Should be electrically operated with emersion heater Power source- 220w/50 Hz ,Size 16x6x4 in	3Nos.	

- a) Taxes, if any (Kindly Mention)-
- b) Delivery Schedule within 21days from the date of issue of PO.
- c) Price should be FOR- Destination basis
- d) LD @ 0.5% of PO value per week or Part of week for delay of supply of material subject to maximum up to 10% of PO value.
- e) Item name should be written on top of the envelop.