

अखिल भारतीय आयुर्विज्ञान संस्थान(छत्तीसगढ़) रायपुर, All India Institute of Medical Sciences, Raipur (Chhattisgarh) Tatibandh, Raipur-492 099 (CG)

AIIMS- RPR/ Store/Purchase/ Non-Consumable /2016

Dated: 12/04/2016

Notice for inviting quotation for supply of Non-Consumable Item.

## **QUOTATION NOTICE**

Sealed quotations are invited from intending registered Stockiest/ Distributors having TIN/ relevant documents for supply of the following items to be used in Department of Pathology & Lab Medicine, at AIIMS, Raipur and should be submitted to office of Store Officer up to 3:00 pm on 21<sup>st</sup> April 2016, item description as per detailed bellow.

SI. No.	Item Description	Unit	Required Quantity	Unit Rate in ₹
1.	<ul> <li>MAGNETIC STIRRER- SINGLE PLACE</li> <li>Should have no moving parts</li> <li>Should have digital display with real time and speed.</li> <li>Should have adjustable Speed from 50 to 1200 rpm at every 50 rpm</li> <li>Should be microprocessor controlled with last run memory feature</li> <li>Should have Stirring cap. 650 ml or more – set up place of 100 mm</li> <li>Should have pulse mode to reserve the direction every 30 secs for proper mixing</li> <li>Should be IP 65 complaint design (Water spill resistant)</li> <li>Should have corrosion resistant SS top surface.</li> <li>Should be supplied with 1 (one) high strength stir bar.</li> <li>Company should provide 2 years warranty</li> </ul>	Set	01	
2.	<ul> <li>MAGNETIC STIRRER- FOUR PLACE</li> <li>Should have no moving parts.</li> <li>Should have Digital display with adjustable speed &amp; time.</li> <li>Should have stirring cap. 400 ml - set up place diameter of 85 mm.</li> <li>Should have software driven gradual acceleration.</li> </ul>	Set	01	

				1
	<ul> <li>Should have speed setting from 25 to 1000 RPM &amp; time from 1 to 99 min &amp; continuous mode.</li> <li>Should have pulse mode to reserve the direction every 30 secs for proper mixing.</li> <li>Should have microprocessor controlled with last run memory feature.</li> <li>Should be corrosion resistant SS top surface.</li> <li>Should be IP 65 complaint design (Water spill resistant)</li> <li>Should be supplied with 1 (one) high strength stir bar</li> <li>Company should provide 2 years warranty</li> </ul>			
3.	<ul> <li>Medical Centrifuge <ul> <li>Should Have Fixed Angle Rotor (Cap. 6*10/15ml).</li> <li>Should Have Brushless DC motor for maintenance free long life.</li> <li>Should be Microprocessor based Centrifuge with large digital display.</li> <li>Should have Precise RPM setting from 500-6000 RPM in steps of 100 RPM.</li> <li>Should have Timer setting 1 to 30 minutes &amp; infinite mode.</li> <li>Should accommodate most common collection tubes should come with adaptors for smaller 5ml, 7ml, 9/10 ml tubes.</li> <li>Should Have Imbalance detection safety with auto cut off.</li> <li>Should Have Lid Lock safety feature during operation - Lid should release automatically after run completion.</li> <li>Should have one switch change over from RPM to RCF.</li> <li>Company should provide 2 years warranty.</li> </ul> </li> </ul>	Set	02	

## **OTHER COMMERCIAL TERMS**

- 1. Taxes, if any (Kindly Mention).
- 2. Delivery Schedule within 10 days from the date of issue of PO.
- 3. Price should be for Destination basis.
- 4. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply should be deducted.
- 5. Quotation No/Name and Due date of opening must be written on top of the envelop.

(Store Officer) AIIMS, Raipur (CG)