Tender For

"SUPPLY / INSTALLATION OF ENT INSTRUMENTS"

At

All India Institute of Medical Sciences, Raipur

Tender Enquiry No. : ADMIN/Tender/Supply of ENT Instrument/1/2014

NIT Issue Date : 20-08-2014

Last Date of Submission: 18-09-2014 at 3:00 PM



All India Institute of Medical Sciences, Raipur

G.E. Road, Tatibandh, Raipur – 492099, Chhattisgarh Tele: 0771- 2573222, email: dda@aiimsraipur.edu.in as well as www.tenders.gov.in

TENDER NOTICE "SUPPLY/INSTALLATION OF ENT INSTRUMENTS"

AIIMS, Raipur, Tatibandh, Raipur, Date: 20 Aug 2014

On behalf of the Director, All India Institute of Medical Sciences, Raipur tenders in sealed cover are invited under **two-bid** system from manufacture and their authorized dealers/ distributors for providing ENT Instruments for AIIMS Raipur.

Schedule No	Equipment	Quantity Required	EMD	
A	Surgical Microscope	As per the Schedule	30,000/-	
В	B Rigid endoscopy Set Schedu			
С	Endoscopic sinus surgery set	surgery set As per the Schedule 1,		
D	Stapes Set	As per the Schedule	15,000/-	
E	Ear Microdrill	As per the Schedule	27,000/-	
F	Tracheostomy Set	As per the Schedule	2,000/-	

The interested manufactures and their authorized dealers/ distributors are required to submit the technical and financial bid separately. The bids in Sealed Cover-I containing "Technical Bid" and Sealed Cover-II containing "Financial Bid" should be placed in a third sealed cover super scribed "Tender For Supply/Installation of ENT Instruments" at AIIMS Raipur and should reach at the office of "The Administrative Officer, AIIMS, Tatibandh Raipur (CG) - 492099, by or before on 03.00 PM on 18-09-2014. The bid received after due date and time will not be entertained whatsoever may be the reason. The technical bids shall be opened on the same day at 03.30 PM at AIIMS, Raipur. In the event of any of the abovementioned date being declared as a holiday / closed day, the tenders will be opened on the next working day at the appointed time. The date of technical evaluation of items and opening of financial bid of technically qualified agencies will be announced later.

Sign of Bidder_____ Page 2 of 32

Key Dates: Single Submission MultiOpening With Prequalification								
Seq No	DME Stage	Start Date & Time						
1.	Tender Preparation and Release of NIT	20-08-2014						
2.	Pre Bid Meeting	05-09-2014 at 11:00						
3.	Close for Bidding – Submission of Tender	18-09-2014 at 15:00						

The tender document containing technical bid form, financial bid form, technical description/specification terms & conditions can be downloaded from website www.aiimsraipur.edu.in. as well as www.tenders.gov.in Draft/Pay Order for Rs.5000/- (Rupees Five thousand only) (non-refundable) in favour of "AIIMS, Raipur", payable at Raipur, against cost of the tender document along with their technical bid in the Cover-I "Technical Bid". The amount of bid security (EMD) for Tender For ENT Instruments Schedule-A of Rs. 30,000/- (Rupees Thirty Thousand Only), Schedule-B of Rs. 1,05,000/-(Rupees One Lac and Five Thousand Only), Schedule-C of Rs. 1,20,000/- (Rupees One Lac Twenty Thousand Only), Schedule-D of Rs. 15,000/- (Rupees Fifteen Thousand Only), Schedule - E of Rs. 27,000/-(Rupees Twenty Seven Thousand Only) and Schedule - F of Rs. 2,000/-(Rupees Two Thousand Five Hundred Only) of tender documents should be paid by FDR/DD/BG in favour of "AIIMS, Raipur" payable at Raipur and will be placed in cover-1 with technical bid. The Tender Documents are not transferable.

Any future clarification and/or corrigendum(s) shall be communicated through Administrative Officer on the AIIMS, Raipur website: www.aiimsraipur.edu.in. as well as www.tenders.gov.in

Administrative Officer AIIMS, Raipur

Page 3 of 32

TENDER DOCUMENT

Sign of Bidder_____

"SUPPLY/INSTALLATION OF ENT INSTRUMENTS"

AIIMS, Raipur

TECHNICAL BID

(In separate sealed Cover-I super scribed as "Technical Bid")

1.	Name & Address of the manufacture and or their authorised dealers/	
	distributors/Agency with phone number, email, name and telephone/mobile	<u> </u>
2.	Specify your firm/company is a manufactures/ authorised dealer/distributor/	
	Agency.	
3.	Name, Address & designation of the authorized person (Sole proprietor/partner	
	/Director)	
4.	Have you previously supplied these items to any government/ reputed private	
	organization? If yes, attach the relevant poof. Please provide a notarised affidavit on	
	Indian Non Judicial stamp paper of Rs. 10/- that you have not quoted the price	
	higher than previously supplied to any government Institute/Organisation/reputed	
	Private Organisation or DGS&D rate in recent past.	
	If you don't fulfil these criteria, your tender will be out rightly rejected.	
5.	Please attach copy of last three years of Income Tax Return	
6.	The average annual turnover of the bidder in the last three financial years ending	
	i.e. 2011 -12, 2012-13, & 2013-14 should not be less than 50% of contract value.	
	The bidder should submit a certificate issued by Chartered Accountant verifying the	
	annual turnover.	
7.	PAN No. (Please attach copy)	
8.	VAT/Service Tax Registration Certificate. (Please attach copy)	
9.	The tenderers should submit along with the tender, a Photostat copy Tax	
	clearance certificate	
10.	Acceptance of terms & conditions attached (Yes/No). Please sign each page of terms	
	and conditions as token of acceptance and submit as part of tender document with	
	technical bid. Otherwise your tender will be rejected.	
11.	Power of Attorney/authorization for signing the bid documents	
12.	Experience certificate regarding supply of similar nature items at least once in the last	
	3 financial years of value not less than $1/3^{\rm rd}$ value of respective contract value in any	
	Govt. hospital or reputed private hospital.	
13.	Please submit a notarised affidavit on Indian Non judicial stamp paper of Rs. 10/-	
	that no case is pending with the police against the Proprietor/firm/partner or	
	the Company (Agency). Indicate any convictions in the past against the	
	Company/firm/partner. Please also declare that proprietor/firm has never been	
	black listed by any organization.	
14.	, , ,	
i l	The bidder should also submit national & international quality certificates like ISI/CE/	
	The bidder should also submit national & international quality certificates like ISI/CE/ISO,IP/BP etc.	
15.	The bidder should also submit national & international quality certificates like ISI/CE/	
	The bidder should also submit national & international quality certificates like ISI/CE/ISO,IP/BP etc. Whether original catalogue of the equipment/instruments quoted with detailed data sheet enclosed.	
	The bidder should also submit national & international quality certificates like ISI/CE/ISO,IP/BP etc. Whether original catalogue of the equipment/instruments quoted with detailed data	
	The bidder should also submit national & international quality certificates like ISI/CE/ISO,IP/BP etc. Whether original catalogue of the equipment/instruments quoted with detailed data sheet enclosed. Tenderers, if not OEM, must submit OEM's authorization certificate that the	

Sign of Bidder_____

Tender Enquiry No. ADMIN/Tender/Supply of ENT_Instruments/1/2014

18.	Details of the FDR/DD/BG of bid security (EMD)	
	FDR/DD/BG No:	
	Date:	
	Payable at	
19.	Detail of cost of Tender for Rs. 5000/- (downloaded from website)	
	DD No./Pay Order No.	
	Date:	
	Payable at	
20.	Kindly mention the total number of pages in the tender document.	

Note:

- i. Page number/serial number may be given to each and every page of Tender Documents and photocopies of the attested documents attached. Mention Page number, wherever the copy (ies) of the document(s) is kept.
- ii. In case of non-fulfillment of any of the above information/ document(s), the Tender will be summarily rejected without giving any notice.

Declaration by the Tenderer:

This is to certify that I/We before signing this tender have read and fully understood all the terms and conditions contained herein and undertake myself/ourselves to abide by them.

_	1		
Hn	\sim	C	٠
டப			ı

- FDR/DD/BG (if tender form is downloaded from the website of this Institute)
- 2. Terms & Conditions (each page must be signed and sealed)
- 3. Financial Bid

Place:	
Date:	
	(Signature of Tenderer with seal)
	Name:
	Address:

"SUPPLY/INSTALLATION OF ENT INSTRUMENTS" AIIMS, Raipur

FINANCIAL BID for SCHEDULE -A / B/C/E

(In sealed Cover-II super scribed "Financial Bid")

S.	Item Description	Qty	Unit Price	Custom duty	Taxes (if	Service Tax	AMC	CMC	Total Unit	Total price
No.	_	of units	(in INR)	in INR (if applicable)	applicable) VAT / Sales Tax/etc	(if applicable) (in INR)	for 5 years (in INR)	for 5 years (in INR)	Price (including all taxes)	of (Total Unit price x Quantity)
					(in INR)				·	
	Sub Total									
Guar	antee/Warranty 5 Years									
Tot	Total including Guarantee									
AMC 5 Years				ı		ı		I		
CMC 5 Years										
Gran	nd Total	•								

The Cost of individual equipment/instrument will be the deciding factor for L1 provided all the other conditions mentioned in the tender document (GCC, SCC and the technical conditions) are fulfilled.

DATE:	SIGNATURE WITH NAME AND SEAL
DATE:	SIGNATURE WITH NAME AND SEAL

Sign of Bidder_____

"SUPPLY/INSTALLATION OF ENT INSTRUMENTS" AIIMS, Raipur

FINANCIAL BID for SCHEDULE - D / F

(In sealed Cover-II super scribed "Financial Bid")

S. No.	Item Description	Qty of units	Unit Price (in INR)	Custom duty in INR (if applicable)	Taxes (if applicable) VAT / Sales Tax/etc (in INR)	Service Tax (if applicable) (in INR)	Warrantee for 2 years	Total Unit Price (including all taxes)	Total price of (Total Unit price x Quantity)
Sub	Гotal								
Warrantee 2 Years Grand Total									

The Cost of individual equipment/instrument will be the deciding factor for L1 provided all the other conditions mentioned in the tender document (GCC, SCC and the technical conditions) are fulfilled.

DATE:	SIGNATURE WITH NAME AND SEAL
DITIE.	SIGNATURE WITH WHILE AND SEAL

PRICE SCHEDULE FOR ANNUAL MAINTENANCE CONTRACT (A.M.C.) AFTER EXPIRY OF WARRANTY

(RATES SHOULD BE QUOTED IN INDIAN RUPEES ONLY)

Sr	SM	Name of the	For Sixth	For	For Eighth	For Ninth	For Tenth
No	Е	Equipment	year with	Seventh	year with	year with	year with
	Со		spare	year with	spare	spare parts	spare parts
	de		parts &	spare	parts &	& labour	& labour
	No.		labour	parts &	labour		
				labour			
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

Place: Date:

> Signature Name in Capital Letters Designation

PRICE SCHEDULE FOR COMPREHENSIVE MAINTENANCE CONTRACT (C.M.C) AFTER EXPIRY OF WARRANTY

(RATES SHOULD BE QUOTED IN INDIAN RUPEES ONLY)

Sr No	SME Code No.	Name of the Equipment	For Sixth year with spare parts & labour	For Seventh year with spare parts & labour	For Eighth year with spare parts & labour	For Ninth year with spare parts & labour	For Tenth year with spare parts & labour
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

Place: Date:

> Signature Name in Capital Letters Designation

Sign of Bidder	Page 9 of 32

SPECIAL CONDITIONS

- 1. The bidders should submit the relevant certificates / evidence of previous supply to other hospitals. If required, the technical committee may enquire from the other hospitals where the bidders have supplied the material.
- 2. The bidders should also submit a certificate from the relevant authority as to the quality of the equipment.
- 3. The bidder should not have been blacklisted before.
- 4. The bidders shall also arrange for the demonstration of their equipment to the concerned committee regarding the quality aspect.

The above quote should include all applicable taxes. If the rates of various items are L1 for different Tenderer, the AIIMS Raipur reserve the right to either accept the L1 of different firm/agencies or will negotiate, with the firm who has quoted the maximum gross value of L1 items to lower the rate of other item up to the limit of L1 quoted by other firms. In this context, final decision of the committee will be binding to all and no claim in the regard can be entertained. The quantity indicated is tentative and may vary, and any decision in this regard by Director AIIMS Raipur shall be final.

Warranty, Service, Maintenance:

Warranty

- 1. The equipment price should be quoted along with full comprehensive warranty of 5 years with proper maintenance service mentioned in this document for the schedule A, B, C & E with AMC/CMC for 5 years.
- 2. Schedule D & F for the warranty of 2 years with proper maintenance service.

Service

The supplier will ensure regular maintenance service by the appropriate engineer having the technical know-how of the equipment. The supplier shall also ensure the presence of resident engineer in the geographical location of this city of Raipur so that he attends the call without loss of time.

Maintenance

It will be mandatory for the supplier to enter into a maintenance contract as applicable below:

a. If the cost of the unit/instrument/equipment is less than INR Five Lacs, then the supplier has to sign an annual maintenance contract with the purchaser. During this period the supplier shall ensure quality maintenance / check service of minimum 4 times a year in addition to the calls that might be raised by the user department. This contract will be 1 % per annum of the base price

Sign of Bidder	Page 10 of 32

- (exclusive of taxes / duties) quoted in the financial bid and shall be paid to the supplier at the end of the year with the clearance / satisfaction certificate issued by the user department.
- b. If the cost of the unit/instrument/equipment is more than INR Five Lacs, then the supplier has to sign a comprehensive maintenance contract with the purchaser. During this period the supplier shall ensure quality maintenance / check service of minimum 4 times a year in addition to the calls that might be raised by the user department. This contract will be 3 % per annum of the base price (exclusive of taxes / duties) quoted in the financial bid and shall be paid to the supplier at the end of the year with the clearance / satisfaction certificate issued by the user department.

Non-compliance of any of these conditions or any of the conditions mentioned in the document renders the purchaser to blacklist the supplier along with appropriate legal actions.

Declaration by the Bidder:

- 1. This is to certify that I/We before signing this tender have read and fully understood all the terms and conditions contained in Tender document regarding terms & condition of the contract, rules regarding purchase of ENT Instruments . I/we agree to abide them.
- 2. No other charges would be payable by Client and there would be no increase in rates during the Contract period.

Place:	(Signature of Bidder with seal)
Date:	
	Name:
	Seal :
	Address.

"SUPPLY/INSTALLATION OF ENT INSTRUMENTS" AIIMS, Raipur

Terms & Conditions

(A) Information and Conditions relating to Submission of Bids

- 1. The tender document containing eligibility criteria, scope of work, terms & conditions and draft agreement can be downloaded from website www.aiimsraipur.edu.in. as well as www.tenders.gov.in Those who download the tender document from Website should enclose a Demand Draft/Pay Order for Rs 5000/-(Rupees Five thousand only) in favour of "AIIMS, Raipur", payable at Raipur, not later the date of 18-09-2014, along with their bid in the Cover-I containing "Technical Bid".
- 2. The interested firms/suppliers are required to submit the Technical and Financial Bids separately in the format enclosed. The bids in sealed Cover-I containing "Technical Bid" and sealed Cover-II "Financial Bid Schedule A", sealed Cover-III "Financial Bid Schedule B", sealed Cover-IV "Financial Bid Schedule C", sealed Cover-V "Financial Bid Schedule D", sealed Cover VI "Financial Bid Schedule E" and sealed Cover –VII "Financial Bid Schedule F" respectively should be placed in a separate sealed covers super scribed "Tender for Supply/Installation of ENT Instruments" should reach AIIMS, Raipur by or before 03.00 PM on 18-09-2014. The Technical bids shall be opened on same day at 03.30 PM at AIIMS, Raipur in presence of the bidders or their authorized representatives who choose to remain present. The Tender received after due date & time will be rejected and no claim shall be entertained whatsoever may be the reason.
- 3. The bidders are required to submit their query in writing before **06-09-2014** to DDA, AIIMS Raipur, if any.
- 4. All the duly filled/completed pages of the tender should be given serial /page number on each page and signed by the owner of the firm or his Authorized signatory. In case the Authorized signatory signs the tenders, a copy of the power of attorney/authorization may be enclosed along with tender. A copy of the terms & conditions shall be signed on each page and submitted with the technical bid as token of acceptance of terms & conditions. Tender with unsigned pages/incomplete/partial/part of tender if submitted will be rejected out rightly.
- 5. All entries in the tender form should be legible and filled clearly. If the space for furnishing information is insufficient, a separate sheet duly signed by the authorized signatory may be attached. No overwriting or cutting is permitted in the Technical Bid as well as Financial Bid unless authenticated by full signature of bidder. Any omission in filling the columns of Financial Bid form (Schedule of Rates) shall debar a tender from being considered. Rates should be filed up carefully by the tenderer. All Corrections in this schedule must be duly attested by full signature of the tenderers. The corrections made by using fluid and

Sign of Bidder	Page 12 of 32

overwriting will not be accepted and tender would be rejected.

- 6. The bidder shall pay an amount of Rs. 30,000/- as Bid Security (EMD) for Schedule-A, amount of Rs. 1,05,000/- as Bid Security (EMD) for Schedule-B, amount of Rs 1,20,000/- as Bid Security (EMD) for Schedule-C, amount of Rs. 15,000/- as Bid Security (EMD) for Schedule-D, amount of Rs 27,000/- as Bid Security (EMD) for Schedule-E and amount of Rs 2.000/- as Bid Security (EMD) for Schedule-F along with the Technical Bid in the form of FDR/DD/BG in favour of "AIIMS, Raipur" drawn on any Nationalized Bank/ Scheduled Bank and payable at Raipur and must be valid for (6) six month. Bids received EMD shall stand rejected and thus shall not be considered for evaluation etc at any stage. The original EMD will be put in cover-I containing Technical bid.
 - a. Earnest Money deposited with AIIMS, Raipur in connection with any other tender enquiry even if for same/similar material / Stores by the tenderer will not be considered against this tender.
- 7. The bid security (EMD) without interest shall be returned to the unsuccessful bidders after finalization of contract.
- 8. The EMD shall be forfeited if successful bidder fails to supply the goods/equipment in stipulated time or fails to comply with any of the terms & conditions of the contract or fail to sign the contract.
- 9. The bid shall be valid and open for acceptance of the competent authority for a period of 180 (one hundred eighty) days from the date of opening of the tenders and no request for any variation in quoted rates and / withdrawal of tender on any ground by bidders shall be entertained
- 10. To assist in the analysis, evaluation and computation of the bids, the Competent Authority, may ask bidders individually for clarification of their bids. The request for clarification and the response shall be in writing but no change in the price or substance of the bid offered shall be permitted.
- 11. After evaluation, the work shall be awarded normally to the Agency fulfilling all the conditions and who has quoted the lowest rate as per financial bid after complying with the all the Acts / provisions stated / referred to for adherence in the tender.
- 12. The competent authority of AIIMS, Raipur reserved all rights to accept or reject any/ all tender(s) without assigning any reason. It can also impose/relax any term and condition of the tender enquiry after due discussion in pre bid conference. This will be communicated to all tenderers in writing. AIIMS, Raipur also reserves the right to reject any bid, which in his opinion is non-responsive, or violating any of the conditions/specifications without any liability to any loss whatsoever it may cause to the bidder in the process.
- 13. Tender must be submitted on the prescribed Tender Form otherwise tender will be cancelled straightway.
- 14. Canvassing in any form is strictly prohibited and the tenderer who are found

Sign of Bidder	Page 13 of 32

canvassing are liable to have their tenders rejected out rightly.

(B) OTHER TERMS & CONDITIONS OF THE TENDER

- 1. Rates quoted should be inclusive of all applicable taxes, packing, forwarding, and postage and transportation charges at **FOR AIIMS Raipur**.
- 2. All the rates should be mention in Indian national currency (INR) only. The rates quoted in foreign currency will not be entertained in this tender enquiry & such tenders will be cancelled straightway.
- 3. Rates should be mentioned both in figures and in words. The offer should be typed or written in Ink Pen/ Ball Pen without any correction. Offers in pencil will be cancelled. Telegraphic/ Telex/ Fax offers will not be considered and cancelled straightway.
- 4. The tenderer can quote for either/both of the schedules mentioned in the bid. However the tenderer should quote for all the equipment in the particular schedule. If the tenderer is quoting both the Schedules it has to include separate financial bid for each schedule in a separate envelope labeled with the respective schedule on the envelope. If all the equipment in the schedule is not quoted that bid will be out rightly rejected.
- 5. The tenderers must quote for 5 years onsite warranty from the date of completion of the satisfactory installation as certified by the stipulated committee. The Warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Also the Bidders should submit their quote for subsequent 5 years on site AMC (without spare parts) / on site CMC (include free labour, repair, other services & spare parts). Failure to comply this condition will entail the rejection of the Bids. The price comparison shall be made taking into account on basic price and post warranty AMC / CMC. The Rate Contracting Authority reserves the right to award AMC / CMC. A.M.C. (without spare parts) shall be quoted for Equipment costing upto Rs.5.00 Lacs and C.M.C. (include free labour, repair, other services & spare parts) shall be quoted for Equipment costing above Rs.5.00 Lacs. So the price of AMC / CMC should be quoted according to the cost of equipment. The amount of AMC/ CMC would be released to the supplier on successful completion of the maintenance of that particular year duly certified by the user department. The AMC/CMC applicable for schedule A, B,C & E.
- 6. The supplier shall submit a notarized affidavit on Indian Non Judicial Stamp Paper of Rs.10/- that you have not quoted the price higher than previously supplied to any government Institute/Organization/reputed Private Organization or DGS&D rate in recent past. Therefore, if at any stage it has been found that the supplier has quoted lower rates than those quoted in this tender; the Institute (the purchaser) would be given the benefit of lower rates by the Supplier. If such affidavit is not submitted, tender will be out rightly rejected.,
- 7. If the prices of the contracted articles is/ are controlled by the Government, in no circumstances the payment will be higher than the controlled rate.

Sign of Bidder	Page 14 of 32

- 8. Tender will be regarded as constituting an offer open to acceptance in whole or in part at the discretion of the competent authority of the institute for a period of 180 days (6 months) valid from the date of opening of the tender by the committee.
- 9. The time for the date of delivery/ dispatch stipulated in supply order shall be deemed to be essence of the contract and if the supplier fails to deliver or dispatch any consignment within the period prescribed for such delivery or dispatch in the supply order, liquidated damages may be deducted from the bill @ 0.5% per week subject to maximum of 10% of the value of the delayed goods or services under the contract. The competent authority of the institute may also cancel the supply. In such a case, bid security of the supplier shall stand forfeited.
- 10. In case the quality of goods supplied are not in conformity with the standard given in tender and as per the samples supplied or the supplies are found defective at any stage these goods shall immediately will be taken back by the supplier and will be replaced with the tender quality goods, without any delay. The competent authority reserves all rights to reject the goods if the same are not found in accordance with the required description / specifications and liquidates damages shall be charged.
- 11. In case the tenderer on whom the supply order has been placed, fails to made supplies within the delivery schedule and the purchaser has to resort risk purchase, the purchaser (AIIMS, Raipur) may recover from the tender the difference between the cost calculated on the basis of risk purchase price and that calculated on the basis of rates quoted by tenderer. In case of repeated failure in supplying the order goods the supply order may be cancelled and bid security deposit will be forfeited.
- 12. The Specification and quantity of the item needed is mentioned in <u>Financial Bid</u> but it is approximate detail and is subject to increase/decrease at the discretion of the competent authority of AIIMS, Raipur. The payment would be made for actual supply taken and no claim in this regard should be entertained.
- 13. Where the specifications are as per tenderer's range of product & tenderer's offer should mention that the item meets all specifications as per the tender enquiry and if there are improvements/deviations the same should be brought out on separate Letter Head of the firm. It would be discretion of the competent authority of the institute to accept or reject such deviations which are not in accordance with our required specifications.
- 14. It must be mentioned clearly whether tenderer is a manufacturer/sole distributor/sole agent for the items for which he is quoting.
 - a. Manufacturer must add a certificate that item(s) is manufactured by them as per range of products
 - b. Sole Manufacturers must add a certificate that they are the sole manufacturer of the Item for which they are quoting in this tender enquiry

Sign of Bidder	Page 15 of 32

- & item is /are their proprietary Item in India. The rate certificate is also required from the sole manufactures that the Rates quoted are the same as they quote to other State/Centre Govt./reputed Private Organisation and DGS&D rate for the similar item(s) and these are not higher than those quoted by them.
- c. Authorized agents must add authority letter from their Manufacturer/Principals on the letter head of the manufacturer/principals in proforma given in attach duly supported by a notarised affidavit on Indian Non Judicial Stamp Paper of Rs.10/- (Rupees ten only) that they are quoting Rates on behalf of them. The authorization letter must give/mention the purpose for which it is allowed. The validity period of the authorization letter must be mentioned in the authority letter otherwise tender will be liable to rejection.
- 15. The Tenderers should furnish a copy of S.T./C.S.T./VAT registration number, the State / U.T. of registration and the date of such registration. Tenders not complying with this condition will be rejected
- 16. The tenderers should submit along with the tender, a Photostat copy of the last Income Tax return and copy of current valid income tax <u>clearance certificate (IT</u> CC) otherwise tender may be ignored
- 17. In case asked, tenderer must personally supply a sample/give the demonstration of the Equipment/Instruments to the competent authority of the institute and in that case all the expenses will be borne by the supplier.
- 18. Full description & specifications, make/brand and name of the manufacturing firm must be clearly mentioned in the tender failing, which the tender will not be considered. The tenderer must also mention whether the goods are imported / indigenous. Descriptive literature /catalogues must be attached with the tender in original failing which tender may be ignored.
- 19. Any failure or omission to carryout of the provisions of this supply by the supplier shall not give rise to any claim by supplier and purchaser one against the other, if such failure or omission arise from an act of God which shall include all acts of natural calamities from civil strikes compliance with any status and or requisitions of the Government lockout and Strikes, riots, embargoes or from any political or other reasons beyond the suppliers control including war (whether declared or not) civil war or state of incarceration provided that notice of the occurrence of any event by either party to the other shall be within two weeks from the date of occurrence of such an event which could be attributed to force majeure.
- 20. The Courts at Raipur/CG alone and no other Court will have the jurisdiction to try the matter, dispute or reference between the parties arising out of this tender/supply

α:	CD		
uni	of Bic	AAR	
וועור			

Order/contract.

- 21. If at any time, any question, dispute or difference whatever shall arise between supplier and the institute (Purchaser) upon or in relation to or in connection with the agreement, either of the parties may give to the other notice in writing of the existence of such a question, dispute or difference and the same shall be referred to two arbitrators one to be nominated by the institute (Purchaser) and the other to be nominated by the supplier. Such a notice of the existence of any question dispute or difference in connection with the agreement shall be served by either party within 60 days of the beginning of such dispute failing which all Right sand claims under this Agreement shall be deemed to have been forfeited and absolutely barred. Before proceeding with the reference the arbitrators appoint/nominate an umpire. In the event of the arbitrators not agreeing in their award the Umpire Appointed by them shall enter upon the reference and his award shall be binding on the Parties. The venue of the arbitration shall be at Raipur, (Chhattisgarh, India). The arbitrators/Umpire shall give reasoned award.
- 22. The supplier should mention the compliance to the specification in the technical bid of the tender document failing this, the bid document will be disqualified.
- 23. Supply of equipment, goods and services should be completed within 6 weeks from the date of supply order otherwise liquidated damage at the rate of 0.5% per week will be imposed. Purchaser will place order by fax &/or e-mail &/or speed post.
- 24. The Bidder shall provide onsite warranty/guarantee of the equipment for the period of <u>five years from the date of installation</u>. Warranty will cover services, repairs, maintenance, and replacement of spare parts, broken / damaged / worn out spare parts and other services free of cost during the whole warranty period of five years. The warranty shall also include "on call service" which should not exceed **24 hours from the time of lodging of complaint through e-mail**.

25. Terms of payment:

- 1. 70% of the purchase order value will be released after the successful supply & remaining 30% of the amount shall be released after the successful completion of the installment and commissioning of equipment & accessories and demonstration of the performance to the satisfaction of the concerned department.
- 2. No payment shall be made for rejected Stores. Rejected items must be removed by the supplier within two weeks of the date of rejection at their own cost & replace immediately. In case these are not removed these will be auctioned at the risk and responsibility of the suppliers without notice.

26. Performance Security:

1. The successful tenderer will be required to furnish a Performance Security Deposit of 10% of tender amount in the form of Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any Nationalized Bank/ Scheduled Bank duly

Sign of Bidder	Page 17 of 32

- pledged in the name of the "All India Institute of Medical Sciences, Raipur". The security deposit can be forfeited by order of this Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract.
- 2. Performance Security shall be submitted in the form of Demand Draft, Bank Guarantee or Fixed Deposit Receipt issued by any Nationalized Bank/ Scheduled Bank. Performance Security will be discharged 60 days after completion of contractual obligations (including warranty & AMC/CMC period **if applicable**) under the contract.

I / We hereby accept the terms and Conditions give	en in the tender
	(Signature & Stamp of the bidder)

Note- Please sign each page of document including terms & conditions & tender

Sign of Bidder_____

<u>Schedule - A - ENT Surgical Microscope</u>

1	Type : Optical.
2	Electrical: Should work on 230V, 50 Hz single phase AC.
3	Illumination :
3.1	Light Source: High intensity with Halogen light source of 12Volts, 100W power with back lamp in fast action lamp changer with fiberoptic transmission cable.
3.2	Light Intensity adjustment: Using a drive knob either on the light source or on optics carrier.
4	Working distance: 200 mm to 400 mm in steps of 50 mm, objective lenses interchangeable.
5	Optics :
5.1	Objective Lenses: with focal length 250mm & 400mm.
5.2	Binocular Tube: Straight tube with focal length 170mm, 0°-180° Tiltable tube with focal length 170 mm or 200mm with 10x or 12.5x widefield eyepieces.
5.3	Eye Piece : 10X - 12.5X wide field.
5.4	Field of view: 60mm to 100mm.
5.5	Fine Focus : Manual via focusing knob
5.6	Magnification :Manual 5-step apochromatic Magnification changer, Magnification factor 0.4/0.6/1/1.6/2.5
5.7	Co-observation / Demonstration : Binocular.
Access	
(1 CCD	, Y/C (S-Video), VBS (composite), 752 (H) x 582 (V) PAL, 768 (H) x 494 (V) NTSC, S/N ratio
50 dB,	horizontal resolu-tion 480 lines, footswitch connector to freeze images
Beam :	Splitter.
Optica	I port for endoscope cameras
Attach	ment of all standard endoscope cameras with high-speed shutter
C mou	nt
Dust c	overs.
Drapes	s during surgery.10no.s
7	Maintenance :
7.1	Five years comprehensive warranty, and next 5 years AMC & CMC estimate should
	be provided.
7.2	Minimum 4 routine maintenance services to be provided annually.
8	Price quoted should be inclusive of installation at site.
9	Unit quoted should have unique model name.
10	Units ordered should have unique serial / Identification numbers.
11	Should be CE & US FDA approved

Schedule -B - Rigid Endoscopy system

S.NO:	INSTRUMENT	QUANTITY
1	Operating laryngoscope Adult size-18cm- <i>Large</i>	2
2	Operating laryngoscope Adult size-18cm- Medium	2
3	Anterior commissure scope Adult size -22cm	1
4	Crico –Pharyngoscope	1
5	Laryngoscope – Pediatric	2
6	Laryngoscope holder and chest support for use with above	2
	laryngoscopes <i>Adult size</i> (ring 9.5 cm, rod 34 cm)	
7	Laryngoscope holder and chest support Child size (ring 9.5 cm. Rod 24 cm)	2
8	Fiber optic light carrier to fit in operating laryngoscopes <i>Adult size</i>	2
9	Fiber optic light carrier to fit in operating laryngoscopes <i>Child size</i>	2
10	Straight forward wide angle telescope-4mm	1
	30cm length- 0° angle, autoclavable with attached handle	
11	Fiber optic light cable, fully autoclavable 4.9mm-180cm with	2
	adapters for use with light source and above scopes	
12	Laryngeal cutting forceps-23 cm 2mm round cupped jaws, <i>straight</i>	2
13	Laryngeal cutting forceps-23 cm 2mm round cupped jaws, <i>angular upwards</i>	2
14	Laryngeal cutting forceps-23 cm 2mm round cupped jaws, bent to right	2
15	Laryngeal cutting forceps-23 cm 2mm round cupped jaws, bent to left	2
16	Laryngeal artery forceps with rachet-23 cm Serrated, straight	1
17	Laryngeal alligator forceps-23 cm Serrated – <i>straight</i>	2
18	Laryngeal alligator forceps-23 cm Serrated -bent to right	1
19	Laryngeal alligator forceps-23 cm Serrated -bent to left	1
20	Laryngeal scissors-23 cm Straight	2
21	Laryngeal scissors-23 cm Angular 45º up	1
22	Laryngeal scissors-23 cm Bent to right	1
23	Laryngeal scissors-23 cm Bent to left	1
24	laryngeal scissors-23 cm Straight, horizontal cutting	1
25	Laryngeal forceps-23 cm Round cupped jaws 5 mm, straight, double action	2
26	Laryngeal grasping forceps for arytenoids-23 cm	1
27	Laryngeal biopsy forceps-23 cm Oval cup shaped jaws	2
28	Laryngeal needle holder with ratchet	1
29	Atraumatic vocal cord retractor-23 cm Self retaining with rachet	1
30	Arnold vocal cord holding forceps-23 cm Triangular jaws, for right side	1
31	Arnold vocal cord holding forceps-23 cm Triangular jaws, for left side	1
32	Laryngeal knife-23cm Straight cutting	2
33	Laryngeal knife-23cm Sickle shaped, curved	2
34	Laryngeal knife-23cm Round vertical cutting	2
35	Laryngeal hook-23 cm Blunt	1

S.NO:	INSTRUMENT	QUANTITY
36	Laryngeal hook-23 cm Sharp	1
37	Laryngeal needle-23 cm Curved to right	1
38	Laryngeal needle-23 cm Curved to left	1
39	Laryngeal elevator with suction channel-23 cm	1
40	Laryngeal knot tier-23 cm	1
41	Laryngeal hook, blunt with probe end	2
42	Instrument handle For use with item No 30to 38 mentioned above	1
43	Laryngeal suction tube (micro laryngeal) –25 cm Diameter 2 mm	3
44	Laryngeal suction tube (micro Laryngeal) –25 cm Diameter 3mm	3
45	Laryngeal insulated canula-25 cm 3 mm 0.D. for suction and coagulation	2
46	Laryngeal cotton wool carrier-25 cm Straight, serrated	2
47	Bipolar electrode –3 mm, length 23 cm With removable suction tube	1
48	Cable for bipolar forceps-5 m long	1
49	Injection Needle, Leus lock, straight	2
50	Teeth protector one metallic and one silicon (autoclavable)	1 each
51	Laryngeal Biopsy forceps 3x4mm, 20-25cm	2
52	FB forceps	2
53	All accessories should be from the same manufacturer & should be European CE/ US FDA approved	
5 years co 47, 48	omprehensive warranty + 5 years AMC/CMC for the S. No 1 to 11 &	

	Oesophagoscope				
S. No	S. No Name with specification				
1.	1. Universal Oesophagoscope with Distal or Proximal illumination Adult 250mm length 12x8 mm diameter				
2.	Universal Oesophagoscope with Distal or Proximal illumination Adult 300mm length 16x12 mm diameter	1			
3.	Universal Oesophagoscope with Distal or Proximal illumination Adult 500mm length 12x8 mm diameter	1			
4.	Illumination system, cap, magnifier and telescope sealing cap for adult scopes	One set			
5.	Universal Oesophagoscope with Distal or Proximal illumination Child 270mm length 5.5 mm diameter	1			
6.	Illumination system, cap, magnifier and telescope sealing cap for child scope	One set			
7.	Optical forceps for Oesophagoscope Alligator Foreign body to fit in 300 mm Oesophagoscope	1			
8.	Optical forceps for Oesophagoscope biopsy forcep to fit in 300 mm Oesophagoscope	1			
9.	Telescope 0 degree wide angle to fit in above optical Biopsy forceps	1			
10.	Jackson esophageal forcep standard shaft, deep serrated upper	2			

	moving jaw, 400mm length	
11.	Foreign body forcep for cutting of denture hooks with good cutting power 450mm length	2
12.	Foreign body forcep alligator jaw with deep serration 350mm length 2.0mm shaft diameter	2
13.	Peanut grasping jaw 350mm length 2.0mm shaft diameter	2
14.	Cut biopsy forcep 350mm length 2.0mm shaft diameter	2
15.	Aspiration tubes rigid 350mm length 2.5mm diameter	4
16.	Aspiration tubes rigid 500 mm length 4.0mm diameter	2
17.	Cotton carrier working length 350mm	1
18.	Fiber optic cable 2.5mm Diameter 1.80 meter length	2
19.	Cold light source 250 Watt	2
20.	All accessories should be from the same manufacturer and should be European CE/ US FDA approved	
5 years co	mprehensive warranty + 5 years AMC/CMC for the S. No 1 to 6 & 9,	
18, 19		

ADULT Bronchoscopes

S.NO:	INSTRUMENT	QUANTITY
1	Straight Forward Telescope 0°, diameter 4.5 mm, length 50 cm, autoclavable. Fiber optic light transmission incorporated	01
2	Bronchoscope Tube Universal, without distal fiber optic light carrier for use with proximally insertable prismatic light deflectorand plugs length 43 cm, size 8.5	01
3	Bronchoscope Tube Universal, without distal fiber optic light carrier, for use with proximally insertable prismatic light deflector and plugs length 43 cm, size 7.5	01
4	Bronchoscope Tube Universal, without distal fiber light carrier, and plugs length 43 cm, size 6.5	01
5	Prismatic Light Deflector, autoclavable, with connection fiber optic light cable	02
6	Glass Window Plug	02
7	Rubber Telescope Guide	01
8	Adaptor with sliding glass window plug, sealing cap, notched lens and keyhole opening, movable, for use with Full Lumen Tracheoscopes and Bronchoscopes	02
9	Injection Cannula, for positive pressure assisted ventilation system, O.D. 3.5 mm for use with bronchoscopes and tracheoscopes with LUER-lock	01
10	Instrument Guide, for suction catheter	01
11	Optical Bronchoscopic Forceps, circular cup, alligator for hard foreign bodies	01
12	Optical Bronchoscopic Forceps, for peanut and soft foreign bodies With spring- action handle	01
13	Optical Bronchoscopic Forceps, round cupped jaws for Biopsy, cup diameter	01

	3.3mm		
14	Optical Bronchoscopic Forceps, Universal for biopsy, for removing foreign	01	
	bodies and denatured tissue		
15	Adaptor from bronchoscope to respirator	02	
16	Rigid Suction Tube, diameter 4mm, working length 50 cm	02	
17	Rigid Suction Tube, diameter 2.5mm, working length 50 cm	02	
18	All accessories should be from the same manufacturer and should be		
	European CE/ US FDA approved.		
5 years	5 years comprehensive warranty + 5 years AMC/CMC for the S. No 1 to 5		

PAEDIATRIC & NEONATAL BRONCHOSCOPE

1	D 1 1 1 20 1 6	01 1		
1.	Bronchoscope, length 30 cm, size 6	01 each		
2.	Bronchoscope, length 30 cm, size 5	01 each		
3.	Bronchoscope, length 30 cm, size 4.5			
4.	Bronchoscope, length 30 cm, size 4	01 each		
5.	Bronchoscope, length 30 cm, size 3.5	01 each		
6.	Bronchoscope, length 26 cm, size 4	01 each		
7.	Bronchoscope, length 26 cm, size 3.5	01 each		
8.	Bronchoscope, length 18.5 cm, size 3.5	01 each		
9.	2Bronchoscope, length 18.5 cm, size 2.5	01 each		
10.	Compatible Telescopes for above mentionedBronchoscope tubes, Straight Forward- scope 0°, auto-clavable. Fiber optic light transmission incorporated	01 each		
11.	Compatible Optical Alligator Forceps for Pediatric Broncho- Esophagoscopes, for use with telescope forced controlled handle for removal of hard foreign bodies	01 each		
12.	Compatible Optical Forceps for Pediatric Broncho-Esophagoscoes, with bean jaes, for use with telescope forced controlled handle for removal of peanuts and soft foreign bodies.	01 each		
13.	Compatible Optical Forceps, for use with telescope for biopsy.	01 each		
14.	Compatible Optical Pediatric Scissors, for use with telescope and Broncho-	01 each		
1	Esophagoscopes	or cuen		
15.	Compatible Optical Forceps for use with telescope Universal, biopsy and grasping	01 each		
16.	Rubber Telescope Guide for use with Telescopes or optical forceps	01 each		
17.	Prismatic Light Deflector, Autoclavable, with Connection to fiber light cable	02 each		
18.	Glass window Plug	01 each		
19.	Adaptor with sliding glass window plug, sealing cap, notched lens and keyhole opening, moveable	01 each		
20.	Adaptor from bronchoscope to respirator	01 each		
21.	Instrument guide, for suction catheter	01 each		
22.	Injection Cannula for positive pressure assisted ventilation system, O.D. 3.5 mm and 2.7mm with LUER-lock	01 each		
23.	Compatible Suction tube, straight, with rubber tip, diameter 2mm Working length 35cm	01 each		
24.	Cotton Applicator, working length 35cm,	01 each		
25.	Sponge Holder, spring handle, working length 35cm	01 each		
26.	All accessories should be from the same manufacturer and should be European CE/ US FDA approved.			
5 years	comprehensive warranty + 5 years AMC/CMC for the S. No 1 to 10 & 17			

Schedule - C - Endoscopic sinus surgery set

1. 2.	0 degree, 4mm, 18cm wide angle straight forward telescope, autoclavable	Quantity		
2	o degree, 4mm, rochi wide angle sharghi forward telescope, autociavable	03		
∠.	30 degree, 4mm, 18cm wide angle straight forward telescope, autoclavable	02		
3.	45 degree, 4mm 18cm wide angle straight forward telescope, autoclavable	02		
4.	70 degree, 4mm, 18cm wide angle straight forward telescope, autoclavable			
5.	0 degree, 2.7mm, 18cm straight forward telescope, autoclavable	01		
6.	30 degree, 2.7mm, 18cm straight forward telescope, autoclavable	01		
7.	Compatible handle for above telescopes	02		
8.	Sickle knife, pointed, 19cm long	04		
9.	Freer elevator should be double ended, semi sharp and blunt, 20cm long	04		
10.	Small size oblong shaped Antrum curette, straight, 19cm	01		
11.	Sinus curette 90deg and 55 deg curved	02 each		
12.	Antrum curette forward cutting small size, 19cm length	01		
13.	Double ended maxillary sinus ostium seeker, ball shaped ends diameter 1.2 and 2mm, length 19cm	02		
14.	Cottle elevator double ended, semi sharp and blunt, graduated, length 20cm	04		
15.	Conical suction tube should be malleable, with finger grip plate, luer	01		
	lock,Outer diameter 2.5cm, working length 13cm			
16.	Antrum cannula, Luer-lock, with cut-off hole, short curved, outerdiameter 3mm & 4 mm, length 12.5cm	01		
17.	Bipolar coagulation forceps, insulated, angular, blunt, with integrated suction channel, with cut-off hole, length 19cm, to be supplied with Bipolar High frequency cord	01		
18.	Bipolar Suction forceps, 15 deg upturned, with suction channel, working length 12.5cm, to be supplied with Bipolar High frequency cord			
19.	Antrum punch for Left & Right side downward and forward cutting, working length 10cm	02		
20.	Nasal cutting forceps, working length 13cm	02		
21.	Antrum Punch, right and left side backward cutting, working length 10cm	02		
22.	Antrum grasping forceps for maxillary sinus, jaws curved to right, fixed jaw curved 90 deg, opening 120 deg, movable jaw backward, length 10cm	01		
23.	Blakesley nasal forceps, straight with working length 13cm	04		
24.	Blakesley nasal forceps, Upturned 45deg & 90deg with working length 13cm	02 each		
25.	Giraffe forceps 65deg upturn, cup jaws diameter 3mm with horizontal & vertical opening, length 12cm	02		
26.	Biopsy & Grasping forceps, vertical opening, malleable sheath end, cupped jaws diameter 4mm, working length 18cm	02		
27.	Sphenoid Punch, circular cutting circular punch, dia 4.5mm, working length 18cm	02		
28.	Sphenoid Punch, 65 deg upturned, circular cutting, dia 3.5mm, length 17cm	02		
29.	Nasal Scissors (Straight/right/left)	01		
30.	Antrum punch(small) Pediatric size , backward cutting	01		
31.	Biopsy forceps for nasopharynx	02		
32.	Turbinectomy Scissors	02		
33.	Tilley henckel forceps	04		
34.	Through cut forceps(straight/ 45deg) – 18x3mm, 11.5x3.5mm	02 each		
35.	Malleable suction	02 020		
36.	DCR punch	02		
37.	Frontal sinus seeker(Double ended 22cm- 70deg and 90deg)	01		
	1 Tolical Silius Scoker (Double clided 22cm - 70deg and 70deg)	O1		

B. XENON LIGHT SOURCE AND LIGHT CABLE QUANTITY: 2

- a. High light intensity with 300watt Xenon Lamp(with one extra spare bulb)
- b. High colour temperature more than 6000 K corresponds to brightness of sunlight resulting in high visual and photographic clarity.
- c. Monitoring of lamp function.
- b. Unit should be compatible with Communication Bus system for remote controlled operation of the various features along with other equipment.
- c. Lamp type- Xenon lamp, 300 watt
- d. Colour temperature- approx. 6000 K
- e. Light outlets 1
- f. Light intensity adjustment continuously adjustable from 0 to 100% either manually or automatically by the camera video-output signal.
- g. FIBER OPTIC LIGHT CABLE: Size 3.5 to 5mm, length 250 -275cm should be European CE / US FDA approved.
- h. Fiberoptic Head Band 2
- i. With 5 years comprehensive warranty & 5 years AMC/CMC.

C. SPECIFICATION FOR FULL HD CAMERA WITH RECORDING QUANTITY: 2 (5 years comprehensive warranty & 5 years AMC/CMC)

The system should be truly Digital Full HDTV Endoscopic video camera. The system should qualify all the essential criteria for full

- A. HDTV system:
 - a) Maximum Resolution of 1920 X 1080 pixels, Progressive scan.
 - b) Consistent use of 16: 9 format for Input & Output to guarantee genuine HDTV.

The system should have following features:

- i. HD CCD sensing chip should optimize image quality & Digital Source Sampling for maximizing hi-fidelity image transmission.
- ii. Optimize to Any Size: The system should have integrated Optical Zoom (f= 14-30 mm, 2X) to enhance the quality of Image size & cross specialty standardization of the camera system, regardless of the telescope used.
- iii. The system should automatically optimize all settings. The system should be ready- to- use as soon as it is connected to the camera control unit.
- iv. The system should have the facility to use a single camera control unit for all camera heads (either single chip or three chip) thus minimizing preparation & maximize interspeciality standardization.
- v. The system should be Menu driven, thus allowing the surgeon to program the camera head functions as per the surgical needs & requirement.
- vi. The system should be capable of controlling the light control function from the camera head buttons without any additional requirement of hardware & software.
- vii. Automated digital image enhancer
- viii. Should have USB/ Image capture interface for direct storage of still/ video sequences
- ix. Screen diagonal minimum 23".
- x. Desk top with pedestal.
- xi. HD LCD crystal display.

Sign of Bidder	Page 25 of 32

xii. Trolley for whole unit.

Technical Specifications:

a. Image sensor: 3X1/3" CCD-Chip.

b. Pixels 1920 x 1080

c. AGC: Microprocessor controlled

d. Lens: Integrated Parfocal Zoom Lens, f=14mm-30m

Schedule-D - Stapes set

S. NO	INSTRUMENT	SPECIFICATION	QUANTITY
1	Stapes Pick	• Overall length 165 mm (6.5") 1 mm Blunt Tip, Angled 90°	2
2	Stapedial Footplate Auger	• 15 mm fluted length Specs 0.8 mm Diameter Drill	1
		0.6 mm Diameter Drill	
3	Shea stapedectomy piston measuring rod (three markers)		2
4	Stapedotomy perforator burr (straight)		3
5	Ear Cup Forceps, Extra Long	• Working length 135 mm (5.3") Specs Qty Straight, 1 mm Cups	2 set
6	Sheehy Ossicle Holding Clamp	Overall length 118 mm (4.6") 4.0 mm Wide Jaws 1.5 mm Deep Groove	1 set
7	KerrisonRongeur	No. 0, 3.5 mm Bite	2 set
8	Sheehy Ossicle Holding Clamp	• Overall length 118 mm (4.6") Specs 4.0 mm Wide Jaws 1.5 mm Deep Groove	1
9	Prosthesis Cutting Scissors	Special scissors designed for trimming the Polycel® or flouroplastic shaft of total prostheses Notch in scissors jaw evenly trims the 0.6 mm diameter-shaft totals	1
10	Shea Vein Graft Scissors	Overall length 121 mm (4.8") Blunt Tips, Hollow Distal Ends	1
11	Gruber Speculum, Round	Size: Set of 3 1 Set Includes: 3 mm Diameter, 40 mm Length 4 mm Diameter, 40 mm Length 5 mm Diameter, 40 mm Length 3.3 mm Diameter, 35 mm Length	2 set

S. NO	INSTRUMENT	SPECIFICATION	QUANTITY
		2.6 mm Diameter, 35 mm Length	
12	Gruber Speculum, Oval	Size: Set of 3 1 Set Includes: 2.4 x 3.2 mm Diameter, 33.5 mm Length	
		3.2 x 4.7 mm Diameter, 35.5 mm Length	1
		4.0 x 5.5 mm Diameter, 37.5 mm Length	2 set
		4 x 5 mm Diameter, 41 mm Length	
		3.5 x 4 mm Diameter, 41 mm Length	
13	Disposable Suction Needles	 Includes plastic luer adapter without bypass MicroLite thin wall increases bore size for 20 percent greater volumetric flow rate Suction handle with bypass (1358270) may be used Easily bent to any desired angle Sterile, single use 	
		14 Course Ped	4 set
		14 Gauge, Red	-
		20 Gauge, Green	
		16 Gauge, Yellow	-
		22 Gauge, Clear	=
		18 Gauge, Black	
4.4	G 116 1 W/ 1 1	24 Gauge, Blue	
14	Guilford-Wright Suction Tube	Working length 75 mm (3") Overall length 105 mm (4.1") Stylette included Size 20 Gauge 22 Gauge 24 Gauge	2 set
15	Brackman Suction Tube	 Working length 75 mm (3") Overall length 114 mm (4.5") Thumb plate with cutoff hole Tip with offset holes French French 	1 set
16	Rosen Suction Tube	• Working length 60 mm (2.4") Size 14 Gauge	
		15 Gauge	
		16 Gauge	
		17 Gauge	1 set
		18 Gauge	
		19 Gauge	
		20 Gauge	
		22 Gauge	
		24 Gauge	
		25 Gauge	1
17	House Gelfoam® Press	• 16 x 12 mm plates Overall Length 191 mm (7.5")	1 set
		Overall Length 127 mm (5'')	

S. NO	INSTRUMENT	SPECIFICATION	QUANTITY
18	Goode T-Tube Forceps	• Overall length 87 mm (3.4")	2
19	House Cutting Block	Autoclavable 73 mm x 37 mm x 8 mm	2
20	Pick	1 mm Long Sharp Point, Angled 25°	2 set
21	Duckbill Knife Elevator	Specs 2 mm Wide Curved Tip	2
22	Whirlybird Knife	Overall length 155 mm (6.1") 1 mm x 5 mm, Strongly Curved Tip Offset Right, No. 1	
		1 mm x 5 mm, Strongly Curved Tip Offset Left, No. 2	1 each
		0.75 mm x 5 mm, Lightly Curved Tip Offset Right, No. 3	
		0.75 mm x 5 mm, Lightly Curved Tip Offset Left, No. 4	
23	Footplate Pick	• Overall length 150 mm (5.9") • Slightly curved tip Specs	2 set
24	Drum Elevator	Specs 2 mm Wide Tip, 15 mm from Angle to Tip	2 set
25	House Excavator	Specs 5 0.33 mm Tip, Angled 90°	2
26	Curette(serrated)	• Overall length 143 mm (5.6") Serrated 2.25 mm x 3 mm Cup, Angled 35°	2
27	Tendon Knife	Specs 4 mm Blade	2
28	Drum Scraper	Specs 1.0 mm Point, Angled 45°	2 each
		2.5 mm Tip, Angled 60°	
29	Separator	Bayonet-style shaft Specs Wide, 1.5 mm Curved Blade, Scraping Tip 1 Narrow, 1.25 mm Curved Blade, Scraping	2 each
		Tip	
30	Sheehy Knife Curette ("Weapon")	 Overall length 165 mm (6.5") 15 mm fluted length 2 mm Diameter Semi-Sharp Blade, Small 	2 each
		2.5 mm Diameter Semi-Sharp Blade, Large	

S. NO	INSTRUMENT	SPECIFICATION	QUANTITY
31	Stapes Curette, Double-Ended	Specs 2.25 mm x 3.0 mm and	2 each
		2.0 mm x 2.5 mm Oval Cups	
32	Strut Pick, Medium Shaft	Specs 0.50 mm Point, Angled 90°	2
		0.66 mm Point, Angled 90°	
33	Incudostapedial Joint Knife	Specs 0.75 mm Blade, Angled 60°, 150 mm 1	1
		0.5 mm x 1.5 mm Blade, Angled 20°, 170 mm	
34	Measuring Rod, Malleable Shaft	Specs 3.5 mm from Marker to Tip	
		4.0 mm from Marker to Tip	2
		4.5 mm from Marker to Tip	
		5.0 mm from Marker to Tip	
35	Middle Ear Mirror	Specs 2.5 mm Diameter, Angled 45°	1
36	Oval Window Pick, Fine Shaft	Specs 0.33 mm Point, Angled 30°	1 set
		0.33 mm Point, Angled 90°	
		0.66 mm Point, Angled 90°	
		0.66 mm Point, Angled 30°	
37	Culbertson Canal Knife	Specs 1.5 mm Wide x 2.0 mm Long Blade Angled 45°	2 set
38	Canal Knife, Sharp Blade	Specs 2 mm Diameter	2 set
		2.5 mm Diameter	_
39	Facial Nerve Dissecting Forceps	• Overall length 140 mm (5.5") Specs 14 mm Smooth Jaws, Angled	2
40	Tympanoplasty Knife	• Overall length 165 mm (6.3") Specs: 7 mm Curved Blade	2 set
41	Wire Strut Guide	Specs 0.6 mm Long Tip, Notched at End	1
42	Prosthesis Placement Hook	Specs 0.5 mm Hook, Slightly Angled	1
43	Steps piston measuring JIG		2
44	Larkin hand perforator burr		3
45	Piston holding forceps		2

S. NO	INSTRUMENT	SPECIFICATION	QUANTITY
46	Ball probe	Goldman 0.5 mm, 45 ⁰ matted 16 cm	3
47	Ball probe	Goldman 0.8 mm, 45 ⁰ matted 16 cm	3
48	Ball probe	Goldman 0.8 mm, 90 ⁰ matted 16 cm	3

No AMC/CMC, only 2 years warranty for schedule D

Schedule - E - ENT micromotor drill

ENT Mic	ro drilling System	
S. No	Specification	Quantity
1	High speed not less than 80000rpm.	01
2	Dual speed control from control box as well as foot pedal.	01
3	Both modes forward and reverse cutting.	01
4	Inbuilt pump for irrigation.	01
Micro M	otor Hand Pieces	1
1	Rated for minimum 80000rpm.	01
2	Ball bearing type as to generate minimum heat & vibration.	01
	With attached irrigation pipes.	01
3		
4	Standard coupling for micromotor	01
5	Straight hand pieces	03
6	Contra angled handpiece	02
7	Should be able to accommodate burrs of all makes.	
Burrs		1
1	Tungsten carbide burrs cutting set of 12 varying from	03 sets
	0.6mm to 7mm standard length of 70mm- round, conical	
	and cylindrical type.	
2	Diamond burrs complete set of six varying from 0.6mm to	02 sets
	7mm length 70mm- round, conical and cylindrical type.	
3	Oil spray for hand pieces with Nozzle	01
4	Warranty: Five Years	
5	Should be CE/ FDA approved	
5 years o	omprehensive warranty + 5 years AMC/CMC	

Schedule – F - Tracheostomy set				
Each sets includes – (2 sets)				
SIn.	Specifications	Qty		
1	Mosquito artery forceps, Curved	8 each		
2	Mosquito artery forceps, Straight	8 each		
3	Medium sized artery forceps straight	8 each		
4	Medium sized artery forceps curved	8 each		
5	Langenback's retractor, small	4		
6	Langenback's retractor, Large	4		
7	Forceps, Tracheal Dilating. Child. 12cm/4.75".	2		
	Retractor, Single hook. Sharp. 16cm/6.25". Also for			
8	Tracheostomy.	2		
9	Retractor, Single hook. Blunt. 16cm/6.25". Also for Tracheostomy.	2		
10	Retractor, Double hook. Sharp. 16cm/6.25".Also for			
10	Tracheostomy.	2		
11	Retractor, Double hook. Blunt. 16cm/6.25". Also for Tracheostomy.	2		
12	Needle Holder	4		
13	Tissue holding forceps (Plain and tooth)	3 Each		
14	BP Handle	4		
15	Sponge Holding forceps	4		

No AMC/CMC, only 2 years warranty for schedule F.

MANUFACTURER'S / PRINCIPAL'S AUTHORIZATION FORM (Clause 14 (c) of the tender)

То	
The Administrative Officer, All India Institute of Medical Sciences Raipur	
Dear Sir,	
TENDER:	
we,who established and reputable manufacturers of, factories at and, authorize Messrs (name and address of agents) negotiate and conclude the contract with you Tender No for the above goods manufacture us. No company or firm or individual other than are authorized to bid, negotiate	having hereby to bid, against ed by Messrs. and
conclude the contract in regard to this business against this tender. We hereby extend our full guarantee and warranty as pexr the cor of tender for the goods offered for supply against this tender by the	specific nditions
firm. The authorization is valid up to	
Yours fa	ithfully,
For and on behalf of Messrs (Name of manufacturers)/Pr	(Name) rincipal.

Sign of Bidder_____