



अखिलभारतीयआयुर्विज्ञानसंस्थान,रायपुर (छत्तीसगढ़)
All India Institute of Medical Sciences, Raipur (Chhattisgarh)
Tatibandh, GE Road,
Raipur-492 099 (CG)
www.aiimsraipur.edu.in

No. 8017/2015/NIQ/09

Dated 07/05/2015

NOTICE INVITING QUOTATIONS

Sealed Item Rates quotations for the below mentioned work are hereby invited by the undersigned from approved and eligible Contractors of appropriate class registered in CPWD, DOP, MES, BSNL, Railways, Chhattisgarh State PWD (B&R) so as to reach this office on or before 15.05.2015 at 3.00 pm and the same will be opened on the same day at 3:30pm.

The right to reject any or all the quotations without assigning any reasons thereof shall rest with undersigned.

SI No	NAME OF WORK	EST. COST in `	E.M.D in `	TIME
1	Aluminium partition, counter and cabinet for emergency receiving room at Trauma Building, AIIMS Raipur.	4,99,326.00	Nil	25 Days

SCHEDULE OF QUANTITY

SI.	Description of items	Quantity	Rate	Unit	Amount
.....As PER SHEET ATTACHED.....					

Terms & Conditions:

1. The rates are to be quoted in words and figures including all taxes, octroi, transportation etc.
2. The work will be executed as per specification and direction of the Engineer-In Charge.
3. The payment will be done after completion of work as per specification.
4. Time allowed for the completion of the work is 25 (Twenty Five) Days. It will be reckoned from the day award of the work.

(Signature of Contractor)

Issued to M/s /Shri _____

Executive Engineer (C)
Project Cell
AIIMS, Raipur

SCHEDULE OF QUANTITY

Name of Work: Providing partition, counter and cabinet for Emergency Receiving Room at ground floor of Trauma building at AIIMS Raipur.

S no	Description of item	Qty	Unit	Rate	Amount
	<u>Wood work</u>				
1	Providing and fixing BWP grade ply conforming to IS: 303 in wardrobes, drawers, counters, cabinets and shelves etc. Exposed edges shall be provided with minimum 5 mm thick teak wood lipping wherever required with suitable nails and adhesive. Wherever required, Ply shall be fixed to the wall with suitable size SS screws with rawl plugs, all complete as per direction of Engineer - in - charge.				
A	18 mm thick	70	Sqm		
B	12 mm thick	25	Sqm		
2	Providing and fixing bright finished brass butt hinges with necessary screws etc. complete.				
	(i) 75x65x4 mm (heavy type)	80	Each		
3	Providing and fixing of Mica laminates of approved shade and make/manufacture with approved adhesive on plywood in wardrobes, shelves, drawers and cupboard etc. all complete as per direction of Engineer - In - Charge.				
B	1.0 mm Thick	60	Sq mt		
4	Providing and fixing stainless steel telescopic drawer slide (similar to EBCO item no : STDS35) with necessary screws and all complete. As per direction of Engineer - In- Charge.				
A	400 mm long	15	Set		
5	Providing and fixing special quality bright finished brass cupboard/ ward robe four levers locks of 'ebco' or equivalent make including necessary screws etc. complete.(a) 65 mm	5	Each		

6	Providing and fixing magnetic catcher of approved quality in cupboard /wardrobe shutters, including fixing with necessary screws and etc. complete. (i) Double strip (horizontal type)	12	Each		
7	Providing and fixing chromium plated brass handles (100mm) with necessary screws etc. complete	42	Each		
Aluminium Works					
8	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge.(Glazing, paneling and dash fasteners to be paid for separately) :				
A	For fixed portion				
(i)	Powder coated aluminium (minimum thickness of polyester powder coating 50 micron	400	Kg		
B	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing offittings wherever required including the cost of EPDM rubber /neoprene gasket required (Fittings shall be paid for separately)				
(i)	Powder coated aluminium (minimum thickness of polyester powder coating 50 micron	50	Kg		

9	Providing and fixing 12 mm thick pre-laminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.				
A	Pre-laminated particle board with decorative lamination on both sides	70	Sq.m.		
10	Providing and fixing Stainless steel butt hinges 125x64x1.9 mm IS : 12817 marked	21	Nos.		
11	Providing and fixing Stainless steel Handles,230mm or approved	14	Set		
12	Providing and fixing 4 lever Lock Godrej or equivalent	7	Nos.		
13	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.	7	Each		
14	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868)transparent or dyed to required colour and shade, with necessary screws etc. complete.				
A	Twin rubber stopper	7	Each		
15	Providing and fixing Door Vertical Brush (to filling gap between door and frame)	50	RM		
16	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-				

	charge.(Cost of aluminium snap beading shall be paid in basic item):				
A	With float glass panes of 5.5 mm thickness	20	Sq.m.		
17	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer-in-charge				
A	With stainless steel cover plate minimum 1.25 mm thickness	7	Each		
18	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
A	Upto 5mm depth and 5 mm width	50	meter		

(Signature of the Agency)

EXECUTIVE ENGINEER (C)