



अखिल भारतीय आयुर्विज्ञान संस्थान, रायपुर (छत्तीसगढ़)  
**All India Institute of Medical Sciences, Raipur (Chhattisgarh)**

Tatibandh, GE Road,  
Raipur-492 099 (CG)

[www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

**AIIMS-RPR/Store/LPC/ PAP Smear Kit/2016/**

**Date: 15<sup>th</sup> Sep. 2016**

### **QUOTATION NOTICE**

Inviting Quotations for procurement of "PAP Smear Kit (complete with spatula, swab & Cytobrush etc.)" for department of Obstetrics & Gynaecology at AIIMS Raipur.

Sealed quotations are invited from intending registered Stockiest / Distributors having TIN and relevant documents for supply of " PAP Smear Kit (complete with spatula, swab & Cytobrush etc.)" at AIIMS Raipur. **The quotation should be submitted to office of the office of the Store Officer, Room no. 51, Ayush PMR Building, 2nd floor, Gate no.-1. AIIMS, Tatibandh, Raipur-492099 up to 21-09-2016. before 03:00PM.** The quotations will be opened on the same day at 03.30 pm. Details of item are given as under:

S.No.	Name of Instrument	Quantity	Rate in ₹	VAT/ Tax	Total Unit price (inclusive tax)	Total value (inclusive tax)
01	PAP Smear Kit (Complete with spatula, swab & Cytobrush etc.)	1500 Nos.				

#### **Terms & Condition**

1. Rate should be mentioned in words and figures both.
2. Taxes, if any (Kindly mention in above table)
3. Delivery Schedule- within 1 weeks from the date of issue of Purchase order.
4. Price should F.O.R. for Destination basis (i.e. concerned department).
5. L.D. @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply will be deducted.
6. Quotation Name/No. and due date & opening date must be written on top of envelop.
7. VAT Reg. (i.e. form 11) must be attached with the quotation.
8. 100% payment against receipt and acceptance of material.
9. Brand and make should be clearly mentioned in offer.
10. AIIMS, Raipur reserve the right to place order for full or part quantity to one or more firms.

Stores Officer,  
AIIMS, Raipur