



# अखिलभारतीयआयुर्विज्ञानसंस्थान, रायपुर(छत्तीसगढ़)

All India Institute of Medical Sciences, Raipur (Chhattisgarh)

Tatibandh, GE Road,

Raipur-492 099 (CG)

[www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)

AIIMS/R/2017/HS/RDG/489/155

Date: 21/04/2017

Inviting Quotation for Purchase of Consumables (Guide wire & Hydrophilic Catheter) for DSA Angiography procedure for Department of Radio diagnosis at AIIMS Raipur.

## QUOTATION NOTICE

Sealed quotations are invited from intending registered Stockist / Distributors having TIN and relevant documents for Purchase of Consumables (Guide wire & Hydrophilic Catheter) for DSA Angiography procedure for Department of Radio diagnosis at AIIMS Raipur. The quotation with copy of certificate of TIN & other documents should be submitted to office of Store Officer Room No. – 51, 2nd floor Ayush Buliding, Gate No. 1 up to 27/04/2017 before 3:00 pm. The quotations will be opened on the same day at 3:30pm. Details of item are given as under:-

### Consumables (Guide wire & Hydrophilic Catheter) for DSA Angiography procedure for Department of Radio diagnosis at AIIMS Raipur

#### Schedule-A

| S. N o.   | Items  | Diameter (in)    | Length (cm) | Flexible length | Distal curve | Quantity | Brand | Unit Rate (inclusive al taxes) | Total Amount |
|---|--|------------------|-------------|-----------------|--------------|----------|-------|--------------------------------|--------------|
| 1   | Wire guide, Hydrophillic coating straight tip                              | 0.035" / 0.89 mm | 110-120 cm  | 30 mm           | straight tip | 10       |       |                                |              |
|   |  | 0.035" / 0.89 mm | 140-150 cm  | 50 mm           | straight tip | 10       |       |                                |              |
| 2   | Wire guide, Hydrophillic coating Angled/curved tip                         | 0.035" / 0.89 mm | 50 -60 cm   | 30 mm           | Angled       | 4        |       |                                |              |
| 3   | Wire guide, Hrophillic coating Angled/curved tip, Super stiff              | 0.035" / 0.89 mm | 150-180 cm  | 10 mm           | Angled       | 3        |       |                                |              |
| 4   | Superstiff wire with torquability with soft tip, like Amplatz/Magic Torque | 0.035" / 0.89 mm | 150-180 cm  | 7cm             | 3 mm J       | 4        |       |                                |              |
|   |  | 0.035" / 0.89 mm | 260-300 cm  | 7cm             | 3 mm J       | 2        |       |                                |              |
| Total   |  |                  |             |                 |              |          |       |                                |              |
| <b>Note :</b> For items 1,2 & 3 the material should have a high quality hydrophillic coating. |  |                  |             |                 |              |          |       |                                |              |

## Schedule-B

| S.No.                | Items  | Diameter (in)  | Length (cm) | Distal hydrophilic length | Distal curve | Quantity | Brand/ make | Unit Rate (inclusive al taxes) | Total Amount |
|----------------------|--|----------------|-------------|---------------------------|--------------|----------|-------------|--------------------------------|--------------|
| 1                    | Visceral Shape Multipurpose straight tip catheter Hydrophilic/ Glide | 4 Fr / 1.40 mm | 60-120 cm   | 10- 40 cm                 | Straight     | 3        |             |                                |              |
|                      |  | 5 Fr / 1.70 mm | 40-50 cm    | 20-25 cm                  | Straight     | 4        |             |                                |              |
|                      |  | 5 Fr / 1.70 mm | 110-120 cm  | 40 cm                     | Straight     | 3        |             |                                |              |
| 2                    | Visceral Shape Multipurpose angled tip catheter Hydrophilic          | 5 Fr / 1.70 mm | 100 cm      | 40 cm                     | Multipurpose | 4        |             |                                |              |
| <b>Grand Total :</b> |  |                |             |                           |              |          |             |                                |              |

**Note :** For items 1 & 2 the material should have a high quality hydrophilic coating.

## Schedule-C

| S. No.               | Items  | Extended Embolus Length (cm) | Coil Embolus Diameter (mm) | Approximate Configuration loops | Quantity | Brand | Unit Rate (inclusive taxes) | Total Amount |
|----------------------|--|------------------------------|----------------------------|---------------------------------|----------|-------|-----------------------------|--------------|
| 1                    | Embolization Coils ,<br>(Stainless Steel)<br>Recommended<br>Cather ID and End<br>Hole Diameter Inch<br>0.035 | 2                            | 3                          | 2.1                             | 2        |       |                             |              |
|                      |  | 3                            | 2                          | 4.7                             | 1        |       |                             |              |
|                      |  | 3                            | 3                          | 3.2                             | 2        |       |                             |              |
|                      |  | 3                            | 4                          | 2.4                             | 2        |       |                             |              |
|                      |  | 3                            | 5                          | 1.9                             | 1        |       |                             |              |
|                      |  | 4                            | 3                          | 4.3                             | 2        |       |                             |              |
|                      |  | 5                            | 3                          | 5.3                             | 1        |       |                             |              |
|                      |  | 5                            | 5                          | 3.2                             | 1        |       |                             |              |
| 2                    | Embolization Coils ,<br>(Platinm)<br>Recommended<br>Cather ID and End<br>Hole Diameter Inch<br>0.035         | 14                           | 4                          | 11.1                            | 2        |       |                             |              |
|                      |  | 14                           | 6                          | 7.4                             | 1        |       |                             |              |
|                      |  | 14                           | 8                          | 5.6                             | 2        |       |                             |              |
|                      |  | 14                           | 10                         | 4.5                             | 1        |       |                             |              |
|                      |  | 14                           | 12                         | 3.7                             | 2        |       |                             |              |
| 3                    | Embolization Coils ,<br>(Platinum)<br>Recommended<br>Cather ID and End<br>Hole Diameter Inch<br>0.018        | 14                           | 3                          | 14.9                            | 1        |       |                             |              |
|                      |  | 14                           | 4                          | 11.1                            | 2        |       |                             |              |
|                      |  | 14                           | 6                          | 7.4                             | 2        |       |                             |              |
|                      |  | 14                           | 8                          | 5.6                             | 1        |       |                             |              |
|                      |  | 14                           | 10                         | 4.5                             | 1        |       |                             |              |
| <b>Grand Total :</b> |  |                              |                            |                                 |          |       |                             |              |

### Terms & Condition

1. Firm to mention Make/Brand name in their quotation.
2. Taxes, if any (Kindly mention in above table) should be clearly mentioned in the offer.
3. Document relating to registration of firm i.e. Tin number and relevant document should be submitted along with quotation.
4. Products are certified from USFDA, the Certificate to this effect should be attached.
5. Supply should be done within 15 days after Placement of PO.
6. Price should be FOR Destination basis (i.e. concerned department).
7. Payment will be released after certification from department of Radio Diagnosis.
8. **Quotation Name/No. and due date of opening must be mentioned on top of envelops.**
9. LD @ 0.5% of delayed supply per week or part of week for delay of supply of material subject to maximum up to 10% of delayed supply to be deducted.
10. AIIMS Raipur reserves the right to place order for full or part quantity to one or more firms. The AIIMS, Raipur reserves the right to increase/decrease the number of required quantity.
11. All other terms & condition as per GCC applicable.
12. Material to be delivered at **Gate No-01, Hospital Store, AYUSH PMR Building, 2<sup>nd</sup> Floor, Room No.-56.**
13. **Validity of the quotation should be 90 days from the date of opening.**

Stores Officer (H)  
AIIMS, Raipur (C.G.)