

## **Notice Inviting Tender**

**for**

### **"Arthroscopy Instrument & Orthopaedic Equipment"**

**At**

### **All India Institute of Medical Sciences, Raipur**

<b>Sr. No.</b>	<b>Description</b>	<b>Start Date &amp; Time</b>
1.	NIT No.	Store/Tender/ Arthroscopy _ Instrument_ &_ Orthopaedic _Equipment/1/2016
2.	NIT issue date	03-08-2016
3.	Pre-bid Meeting	17-08-2016 at 03:00 PM
4.	Venue	Committee Hall, 1 <sup>st</sup> floor, Medical College Building, AIIMS, Tatibandh, Raipur-492099
5.	Last Date of submission	02-09-2016 at 03:00 PM
6.	Open EMD & Technical bid	02-09-2016 at 03:30 PM
7.	Venue	Store Officer, Medical College Building, 2 <sup>nd</sup> floor, AIIMS, Tatibandh, Raipur-492099
8.	Tender document cost	₹ 5,700/- (Inclusive VAT)
9.	Amount of Earnest Money Deposit (EMD)	As mentioned in page no. 2



**All India Institute of Medical Sciences  
Tatibandh, Raipur – 492099, Chhattisgarh**

Tele: 0771- 2971307, email: [store@aiimsraipur.edu.in](mailto:store@aiimsraipur.edu.in)

Website: [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in), [www.tenders.gov.in](http://www.tenders.gov.in)



अखिलभारतीयआयुर्विज्ञानसंस्थान, रायपुर, छत्तीसगढ़  
**All India Institute of Medical Sciences, Raipur (Chhattisgarh)**  
**Tatibandh, GE Road, Raipur-492 099 (CG)**  
**Website : [www.aiimsraipur.edu.in](http://www.aiimsraipur.edu.in)**

Tele: 0771- 2971307, e-mail: [store@aiimsraipur.edu.in](mailto:store@aiimsraipur.edu.in)

Sub.: Invitation of sealed tender for “**Arthroscopy Instrument & Orthopaedic Equipment**” as per details and specifications shown in the Annexure-I.

Dear Sir/Madam,

ALL INDIA INSTITUTE OF MEDICAL SCIENCES (AIIMS) RAIPUR invites sealed tender for “**Arthroscopy Instrument & Orthopaedic Equipment**” as per details and specifications shown in the **Annexure-I** on the following terms & conditions:

Schedule	Name of Instruments	Quantity	EMD in ₹
A	Arthroscopy Instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set	1 set each	₹ 1,20,000/-
B	General Arthroscopic Equipment	1 set each	₹ 21,000/-
C	Anterior / posterocruciate ligament reconstruction set-primary and revision	1 set each	₹ 15,000/-
D	Shoulder Arthroscopy Instruments	1 set each	₹ 22,500/-
E	Radiofrequency Ablation System	1 set each	₹ 12,000/-
F	Radiolucent Cervical Retractor and Distractor System: Manual & Self Retaining types	1 set each	₹ 25,500/-
G	Kerrison Punch	1 set each	₹ 25,500/-

1. If the supplier / firm is manufacturer / authorized dealer / sole distributor of any item, the Certificate to this effect should be attached.
2. The tender documents are to be in two parts as Technical Offer and Financial offer:
  - a) The Technical offer should include the detailed specifications of main items. All items should be numbered as indicated in the **Annexure-I**.
  - b) The financial offer should include the cost of main items as per Annexure-I. If there is any separate cost for installation etc. that should be quoted separately. The total cost should be quoted in words as well as figures (typed or printed). Amendment should be avoided. Amendments, if any, should be duly initialled, failing which the offers are liable to be rejected.
  - c) The two parts of the offer should be placed in separate sealed envelopes clearly marked “Technical Offer” & “Financial Offer”. These two envelopes along with envelope for EMD and Tender Fee marked “Tender Fee & EMD” (total three envelopes) must be enclosed in one bigger envelope duly sealed and superscribed with tender number, name of the items { **Arthroscopy Instrument & Orthopaedic Equipment** } and tender due date must be forwarded to the undersigned so as to reach him on or before the due date.
  - d) The Financial Offer must be mentioned in the prescribed format as per the **Annexure-II (A & B)** only. If the financial offer is not in the prescribed format, it will be rejected.

Incomplete tenders, amendments and additions to tender after opening or late tenders are liable to be ignored and rejected.

3. Fax and Email quotation are not acceptable.
4. Quotations should be valid for 180 days from the tender due date. The quotation should clearly indicate the period of delivery, warranty terms etc.
5. Relevant literature pertaining to the items quoted with full specifications (and drawing, if any) should be sent along with the Quotations, wherever applicable.
6. Tenderer must provide evidence of having supplied government hospital / reputed private hospital organizations in India similar nature of items i.e. ₹ 13,33,333/- for schedule-A, ₹ 2,33,333/- for schedule-B, ₹ 1,66,666/- for schedule-C, ₹ 2,50,000/- for schedule-D, ₹ 1,33,333/- for schedule-E, ₹ 2,83,333/- for schedule-F & ₹ 2,83,333/- for schedule-G of contract value in the last three years.
7. The firm should be registered and the bidder should have the average annual turnover atleast of ₹ 20,00,000/- for schedule-A, ₹ 3,50,000/- for schedule-B, ₹ 2,50,000/- for schedule-C, ₹ 3,75,000/- for schedule-D, ₹ 2,00,000/- for schedule-E, ₹ 4,25,000/- for schedule-F & ₹ 4,25,000/- for schedule-G in the last three financial years. Copies of authenticated balance sheet for the last three financial years should be submitted.
8. The participant manufacture/companies having own manufacturing units or their authorized dealer can only participate. Proof of manufacturing is to be attached.
9. Company /manufacturer/firm should have branch office within Chhattisgarh. Provide address details. Copy of shop and establishment act registration certificate may be enclosed as proof of establishment. If not, then undertaking for full maintenance and support on letter head must be submitted by the tenderer.
10. The delivery of the items will have to be made at AIIMS, Raipur. No transportation/ cartridge charges will be provided for the same.
11. Delivery of material should be made on working days from 9.00 AM to 5.00PM only.
12. Unloading of material will be arranged by supplier.
13. The rate quoted should be firm and final and written in ink or typed against each item and should in no case be overwritten.
14. The tender document must be accompanied by copy of PAN, Certificate of firm/company registration, TIN / VAT registration (Sales tax) & service tax.
15. The quotations should be given for the items in the same order as in the tender document.
16. The quantity shown against each item is approximate and may vary as per demand of the Institute at the time of placing order.
17. Imported supplies should be delivered by air and quoted for CIP Raipur.
  - (a) In case of payment (for import item) through Letter of Credit (LC) in case of foreign tenderer, 90% (Ninety Percent) of the payment will be released after completion of the supply. The balance 10% (Ten Percent) of the payment will be released after satisfactory installation of the item / equipment.

**For 90% Payment**

- i. 3 copies of Invoice
- ii. Packing list
- iii. Certificate of origin
- iv. Any other documents, if applicable.

**For 10% Payment**

- i. Installation Report
- ii. Warranty Certificate
- iii. Any other documents (if required)

- (b) If the Payment (for import item) in the form of foreign currency draft / TT, the Institute will release the payment within 30 working days after delivery and successful installation of the item / equipment at AIIMS Raipur Premises.
- (c) Advance Payment (for indigenous supplies) is not allowed in any case. 100% payment will be released after completion of the supply and successful installation.
18. AIIMS Raipur is exempted from payment of Excise Duty and is eligible for concessional rate of Custom Duty. Necessary certificate will be issued on demand. AIIMS Raipur will not make necessary arrangements for the clearance of imported goods at the Airport.
19. The Vendor must be able to provide the product / items within specified time period as prescribed in the Purchase Order. Failing the EMD will be forfeited. Furthermore on completion of the stipulated time period, Purchase Order will be cancelled and award will be given to another qualified bidder with the negotiated terms & conditions.
20. In the event of any dispute or difference(s) between the vendee AIIMS Raipur and the vendor(s) arising out of non-supply of material or supplies not found according to the specifications or any other cause whatsoever relating to the supply or purchase order before or after the supply has been executed, shall be referred to the concerned authority of AIIMS Raipur who may decide the matter himself or may appoint arbitrator(s) under the arbitration and conciliation Act 1996. The decision of the arbitrator shall be final and binding on both the parties.
21. The place of arbitration and the language to be used in arbitral proceedings shall be decided by the arbitrator.
22. All disputes shall be subject to Raipur Jurisdiction only.
- 23. AIIMS Raipur reserves the rights to accept/reject any offer in full or in part or accept any offer other than the lowest offer without assigning any reason thereof. Any offer containing incorrect and incomplete information shall be liable for rejection.**
24. The Tender / Bid will open on 02/09/2016 at 03:30 PM at AIIMS Raipur Premises.
- a) The suppliers or their authorized representative may also be present during the opening of the Technical offer, if they desire so, at their own expenses.
- b) Only those financial offers will be opened whose technical offers are found suitable by the expert committee appointed for the concerned items.
- c) No separate information shall be given to individual bidders. In incomparable situation, the committee may negotiate price with the technically and financially qualified bidder before awarding the offer.
- d) The Tender Committee reserves its right to select or reject any or all of the items mentioned above without assigning any reasons.
25. In case the supplier requires any elucidation regarding the tender documents, they are requested to contact to the Store Officer, AIIMS Raipur through e-mail [stores@aiimsraipur.edu.in](mailto:stores@aiimsraipur.edu.in) on or before 17.08.2016 at 3:00 PM.

26. A demand draft/Pay Order of ₹ 5,700/- (Cost ₹ 5000 + VAT@14% ₹ 700=5,700/-) towards non-refundable tender fee and Earnest Money Deposit (EMD) in form of demand draft/BG/FDR/Pay Order towards refundable EMD from a Schedule bank in favor of “AIIMS Raipur” payable at Raipur placed in a separate envelope marked “Tender Fee & EMD” should accompany tender bid documents. Both the demand drafts should be valid for 90 days (Demand Drafts must be complied with CTS 2010 standards prescribed by Reserve Bank of India). Without the Tender Fee and EMD the bid will not be considered.

The EMD of the successful bidder will be returned to them without any interest after completing the successful installation. The earnest money of unsuccessful bidders will be returned to them without any interest within thirty (30) working days after awarding the offer.

27. All tender documents should have to be forwarded through speed post or registered post, courier, Hand Delivery on / before 02/09/2016 at 3.00PM to Store Office, Medical College Building, 2nd floor, AIIMS, Tatibandh, Raipur-492099.

**Stores Officer,  
AIIMS, Raipur**

**Other Terms & Conditions:**

**1. Pre-Qualification Criteria:**

- a. Bidders should be the manufacturer / authorized dealer. Letter of Authorization from Manufacturer on the same and specific to the tender should be enclosed.
- b. An undertaking from the original Manufacturer is required stating that they would facilitate the bidder on a regular basis with technology/product updates and extend support for the warranty as well.

**2. Performance Guarantee Bond:**

- a. Performance Guarantee Bond is mandatory.
- b. The successful tenderer will be required to furnish a Performance Security Deposit of 10% of tender amount in the form of Demand Draft, Fixed Deposit Receipt or Bank Guarantee from any Scheduled Bank duly pledged in the name of the "All India Institute of Medical Sciences, Raipur". The security deposit can be forfeited by order of this Institute in the event of any breach or negligence or non-observance of any condition of contract or for unsatisfactory performance or non-observance of any condition of the contract.
- c. Performance Security shall be submitted in the form of Demand Draft, Bank Guarantee or Fixed Deposit Receipt issued by any Scheduled Bank. Performance Security will valid till 60 days after completion of contractual obligations (including warranty period, if applicable) under the contract.
- d. After completion of warranty period a fresh BG/DD/FDR of 10% of AMC/CMC cost will be submitted by the supplier for performance security against AMC/CMC validity of this new BG/DD/FDR will be 60 days beyond AMC period. After submission of new security deposit, old security deposit will be released.

3. **Delivery** : The successful bidders should strictly adhere to the following delivery schedule supply of above items should be effected within 6 weeks from the date of supply order and this clause should be strictly adhere to failing which administrative action as deemed fit under rules will be taken against the defaulter. Otherwise LD will be imposed as per clause no. 4. Purchase order will be placed as required by consignee.

4. **Penalty**: If the suppliers fails to deliver and place any or all the items or perform the service by the specified date as mention in purchase order, penalty at the rate of 0.5% per week of the delayed value of goods subject to the maximum of 10% of delayed goods value will be deducted.

5. **Demonstration**: Suppliers need to provide adequate sample demonstration at AIIMS Raipur to the nominated person of AIIMS Raipur at their cost. AIIMS Raipur will not bear any training or living expenditure in this regard. The Supplier should arrange for regular weekly visit to the AIIMS, Raipur campus by its technical team and assist in maintenance of the items within warranty period. Assistance limited to locking companies with manufacturer will not be considered sufficient.

6. **Validity of the bids**: The bids shall be valid for a period of 180 days from the date of opening of the tender. This has to be so specified by the tenderer in the commercial bid which may be extended, if required.

7. **Right of Acceptance:** AIIMS, Raipur reserves the right to accept or reject any or all tenders/quotations without assigning any reason there of and also does not bind itself to accept the lowest quotation or any tender. AIIMS, Raipur also reserves the rights to accept all the items in the given tender or only part of it in any given schedule without assigning any reason.
8. **Communication of Acceptance:** AIIMS, Raipur reserves all right to reject any tender including of those tenderers who fails to comply with the instructions without assigning any reason whatsoever and does not bind itself to accept the lowest or any specific tender. The decision of this Institute in this regard will be final and binding.
9. **Risk Purchase & Recovery of sums due:**
- Failure or delay in supply of any or all items as per Requisition / Purchase Order, Specification or Brand prescribed in the tender, shall be treated as 'non compliance' or 'breach of contract' and the order in part of full be arranged from alternative source(s) at the discretion of the hospital authority and the difference in price has to be recovered from the tenderer as mentioned elsewhere.
  - The amount will be recovered from any of his subsequent / pending bills or security Deposit.
  - In case the sum of the above is insufficient to cover the full amount recoverable, the contractor shall pay to the purchaser, on demand the remaining balance due.
10. **Guarantee / Warranty, Service, Maintenance:** The tenderers must quote for 5 years onsite warranty as per Annexure-I from the date of completion of the satisfactory installation as certified by the stipulated committee. The warranty charges shall not be quoted separately otherwise the offer shall be summarily rejected. Also the bidders should submit their quote for subsequent 5 years on site AMC/CMC as per Annexure-I (include free labour, repair other services & spare parts). Failure to comply this condition will entail the rejection of the bids. The price comparison shall be made taking into account on basic price and post warranty AMC/CMC. The Rate Contracting Authority reserves the right to award AMC/CMC (include free labour, repair other services & spare parts) shall be quoted for equipment's costing above Rs. 5.00 lacs. So the price of AMC/CMC should be quoted according to the cost of equipment. The amount of AMC/CMC would be released to the supplier on successful completion of the maintenance of that particular year duly certified by the user department.
- The supplier will ensure regular maintenance service by the appropriate engineer having the technical know-how of the equipment. The supplier shall also ensure the presence of resident engineer in the geographical location of this city of Raipur so that he attends the call without loss of time.
11. **Force Majeure:** If, at any time during the subsistence of this contract, the performance in whole or in part by either party of any obligation under this contract is prevented or delayed by reasons of any war or hostility, act of public enemy, civil commotion, sabotage, fire, floods, exception, epidemics, quarantine restriction, strikers lockout or act of God (hereinafter referred to as events) provided notice of happening of any such eventuality is given by party to other within 21 days from the date of occurrence thereof, neither party shall by reason of such event be entitled to terminate this contract nor shall either party have any claim for damages against other in respect of such non-performance or delay in performance and deliveries have been so resumed or not shall be final and conclusive.

Further, that if the performance in whole or in part of any obligation under this contract is prevented or delayed by reason of any such event for a period exceeding 60 days, AIIMS, Raipur party may, at least option to terminate the contract.

12. **Insolvency etc.:** In the event of the firm being adjudged insolvent or having a receiver appointed for it by a court or any other under the Insolvency Act made against them or in the case of a company the passing any resolution or making of any order for winding up, whether voluntary or otherwise, or in the event of the firm failing to comply with any of the conditions herein specified AIIMS, Raipur shall have the power to terminate the contract without any prior notice.

13. **Breach of Terms and Conditions :** In case of breach of any terms and conditions as mentioned above, the Competent Authority, will have the right to cancel the work order / job without assigning any reasons thereof and nothing will be payable by AIIMS, Raipur. In that event the security deposit shall also stand forfeited.

14. **Arbitration:**

If any difference arises concerning this agreement, its interpretation on payment to the made there under, the same shall be settled out by mutual consultation and negotiation. If attempts for conciliation do not yield any result within a period of 30 days, either of the parties may make a request to Director, AIIMS, Raipur to settle the dispute by Sole Arbitrator. Sole arbitrator will be appointed by Director, AIIMS, Raipur. In case of such arbitrator refusing, unwilling or becoming incapable to act or his mandate having been terminated under law, another arbitrator shall be appointed in the same manner from among the panel of three persons to be submitted by the claimant. The provision of Arbitration and Conciliation Act, 1996 and the rule framed there under and in force shall be applicable to such proceedings.

15. **Right to call upon information regarding status of work:** The AIIMS, Raipur will have the right to call upon information regarding status of work/job at any point of time.

16. **Subletting of Work:** The firm shall not assign or sublet the work/job or any part of it to any other person or party without having first obtained permission in writing of AIIMS, Raipur, which will be at liberty to refuse if thinks fit. The tender is not transferable. One tenderer shall submit only one tender.

17. **Terms of payment:**

1. The payment would be made for actual supply taken and no claim in this regard should be entertained. 70% payment will be made on receiving of goods satisfactorily with approved quality & ordered quantity. And balance 30% will be paid after successful delivery report from the user department.

2. No payment shall be made for rejected Stores. Rejected items must be removed by the supplier within two weeks of the date of issue of rejection advice at their own cost & replace immediately. In case these are not removed these will be auctioned at the risk and responsibility of the suppliers without notice.

3. Tenderer should submit triplicate copies of invoice in original alongwith the packing list/delivery challan and other relevant documents on the time of payment (if required).



**For release of Balance Payment 30%, the following documents must be submitted.**

- iv. Installation Report
- v. Warranty Certificate
- vi. Any other documents (if required)

**18. Custom Duty on Imported Goods:**

In respect of imported goods, the tenderers shall also specify separately the total amount of custom duty included in the quoted price. The tenderers should also indicate correctly the rate of custom duty applicable for the goods in question and the corresponding Indian Customs Tariff Number. Where customs duty is payable, the contract should clearly stipulate the quantum of duty payable etc. in unambiguous terms.

**19. Customs Duty Reimbursement:**

The supplier will pay the Customs duty wherever applicable, which will be reimbursed by purchaser as per documentary evidence. The Customs duty exemption certificate will be provided to the supplier as and when required.

**20. Compulsory Enlistment of Indian Agents:**

As per the Compulsory Enlistment Scheme of the Department of Expenditure, Ministry of Finance, it is compulsory for Indian agents who desire to quote directly on behalf of their foreign manufacturers/principals, to get themselves enlisted with the Department of Expenditure, through the Central Purchase Organization (e.g. DGS&D).

The compulsory enlistment of Indian Agents under the scheme of Ministry of Finance is simpler and differs from the registration of Indian Agents with the Central Purchase Organization (e.g. DGS&D) described in the earlier paragraphs.

The registration of the foreign manufacturer is not a must for enlisting the Indian Agent under this scheme. No Inspection Report in respect of the foreign manufacturer/principal is necessary.

The enlistment under the scheme is not equivalent to the Registration with DGS&D. Such firms do not enjoy the same status as that of DGS&D registered suppliers. A note to this effect is given in the Enlistment Letter to the firm.

**21. Octroi and Local Taxes:**

The goods supplied against contracts placed by Ministry / Department are generally exempted from levy of Town Duty, Octroi Duty, Terminal Tax and other Levies of local bodies. The suppliers should be informed accordingly by incorporating suitable instructions in the tender enquiry document and in the resultant contract. Wherever required, the suppliers should obtain the exemption certificate from the purchase organization to avoid payment of such levies and taxes. In case, where the municipality or the other local bodies insist upon such payments (in spite of purchase organization's exemption certificate), the supplier should make the payment to avoid delay in supplies and forward the receipt of the same to the purchase organization for reimbursement and, also, for further necessary action by the purchase organization.

**22. Fall Clause :**

1. Prices charged for supplies the above items by the supplier should in no event exceed the lowest prices at which he offers to sell or sells the stores of identical description to any other State Government / DGS&D / Public Undertaking during the period of the contract.

2. If at any time during the period of contract, the prices of tendered items is reduced or brought down by any law or Act of the Central of State government, the supplier shall be bound to inform Purchasing Authority immediately about such reduction in the contracted prices, in case the supplier fails to notify or fails to agree for such reduction of rates, the Purchasing authority will revise the rates on lower side. If there is a price increase for any product after quoting the rates, the bidder will have to supply the item as per quoted rates. This office will not accept any higher rates after wards.

3. If at any time during the period of contract, the supplier quotes the sale price of such goods to any other State Govt./DGS&D and Pubic Undertakings at a price lower than the price chargeable under the rate contract he shall forthwith notify such reduction to Purchasing Authority and the prices payable the items supplied from the date of coming into force of such price stands correspondingly reduced as per above stipulation.

Any deviation in the material and the specifications from the accepted terms may liable to be rejected and the suppliers need to supply all the goods in the specified form to the satisfaction / specifications specified in the Purchase order and demonstrate at the their own cost.

**23. Legal Jurisdiction:**

The agreement shall be deemed to have been concluded in Raipur, Chhattisgarh and all obligations hereunder shall be deemed to be located at Raipur, Chhattisgarh and Court within Raipur, Chhattisgarh will have Jurisdiction to the exclusion of other courts.

**Store Officer,  
AIIMS Raipur**

## FormA

### **PARTICULARS TO BE FILLED BY THE BIDDER**

1. Name of the Supplier : \_\_\_\_\_
2. Complete Address of the Supplier : \_\_\_\_\_  
\_\_\_\_\_
3. Availability for demonstration of instruments at AIIMS Raipur. Yes/No [Please ✓]
4. Cost of the Tender enclosed: Yes/No [Please ✓] If yes,
  - a.) Name of the Bank : \_\_\_\_\_
  - b.) Amount in (Rs.) : \_\_\_\_\_
  - c.) Demand Draft No. : \_\_\_\_\_
5. Earnest Money Deposit enclosed: Yes / No [Please ✓] if Yes,
  - a.) Name of the Bank : \_\_\_\_\_
  - b.) Amount in (Rs.) : \_\_\_\_\_
  - c.) Demand Draft No. : \_\_\_\_\_
  - d.) Last Validity date of the enclosed DD: \_\_\_\_\_
6. Communication details of the concerned contact person to whom all references shall be made regarding this tender enquiry.  
[**NOTE:** Any changes after submission of Tender documents kindly update AIIMS Raipur]
  - a.) Full Name : \_\_\_\_\_
  - b.) Complete Postal Address: \_\_\_\_\_
  - c.) Telephone No. : \_\_\_\_\_
  - d.) Fax No. : \_\_\_\_\_
  - e.) Mobile No. : \_\_\_\_\_
  - f.) E-mail : \_\_\_\_\_
  - g.) Website Address : \_\_\_\_\_

**Note:** - Demand Drafts must be complied with CTS 2010 standards prescribed by Reserve Bank of India.

## Form B

**PARTICULARS FOR REFUND OF EMD TO SUCCESSFUL/UNSUCCESSFUL BIDDER**  
**RTGS / National Electronic Fund Transfer (NEFT) Mandate Form**

1	Name of the Bidder	
2	Permanent Account No (PAN)	
3	Particulars of Bank Account	
	a) Name of the Bank	
	b) Name of the Branch	
	c) Branch Code	
	d) Address	
	e) City Name	
	f) Telephone No	
	g) NEFT/IFSC Code	
	h) RTGS Code	
	i) 9 Digit MICR Code appearing on the	
	j) Type of Account	
	k) Account No.	
4	Email id of the Bidder	

**Form C****CHECKLISTS FOR ARTHROSCOPY INSTRUMENT & ORTHOPAEDIC EQUIPMENT****Checklist – Tender Fee & EMD**

Sr. No.	Particulars	Documents to be attached wherever applicable	
		Yes	No
1.	Demand Draft / Pay Order for ₹ 5,700/- (Cost ₹ 5,000 + VAT @ 14% ₹ 700= 5,700/-) towards non-refundable tender fee is enclosed.		
2.	Demand Draft / FD/BG towards refundable EMD is enclosed.		
3.	Envelope is marked as “Tender Fee and EMD”		

**Checklist – Technical Offer**

Sr. No.	Particulars	Documents to be attached wherever applicable	
		Yes	No
1.	<p>1) Attached documents as required in the tender document (i.e. Supplier / firm is manufacturer / authorized dealer/ sole distributor certificate,</p> <p>2) Authorization certificate from the manufacturer in case of dealer / distributor.</p> <p>3) Copy of PAN,</p> <p>3) Certificate of firm/company registration,</p> <p>4) TIN/VAT registration (Sales tax),</p> <p>5) Income Tax Return of last three years,</p> <p>6) Tenderer must provide experience / supplied as per the clause 6.</p> <p>7) Annual Turnover &amp; balance sheet of last three years duly certified by C.A. as per the clause 7.</p> <p>8) Undertaking letter should be submitted if it is a partnership firm in which case he must have authority to execute the contracts on behalf of the firm,</p> <p>09) OEM must be submitted both certificate of USFDA and European CE along with tender document.</p> <p>10) An undertaking for all the Electronic equipment should comply with Electrical Safety conforms to standards for electrical safety IEC 60601-1.</p> <p>11) All the equipment power input should be 220-240V AC, 50 Hz fitted with Indian plug</p> <p>Tender document duly seal and sign by the tenderer.</p> <p>10) Tenderer must provide a certificate on letter head that proprietor /firm has never been black listed by any organization.</p> <p>11) Certificate of proof of manufacturing submitted by the tenderer.</p> <p>12) Relevant brochure/catalogue pertaining to the items quoted with full specifications etc.</p> <p>13) Company/Manufacturer/Firm should have branch office within Chhattisgarh Provide address in detail. If not, an undertaking must provide for full support &amp; maintenance.</p>		
2.	Technical Specifications Compliance Report		
3.	Duly filled Form – A & Form –B		
4.	Envelope is marked as “Technical Offer”		

**Checklist – Financial Offer**

Sr. No.	Particulars	Documents to be attached wherever applicable	
		Yes	No
1.	Financial Offer of the items as per proforma available as Annexure-II (A & B)		
2.	Envelope is marked as “Financial Offer”		

**Checklist – Master Envelope**

Sr. No.	Particulars	Documents to be attached wherever applicable	
		Yes	No
1.	Master envelope containing Envelopes of “Technical Offer”, “Financial Offer” and “Tender Fee and EMD” are superscribed with Tender Number, Name of items and Tender Due Date		

**PARTICULARS FOR PERFORMANCE GUARANTEE BOND**

(To be typed on Non-judicial stamp paper of the value of Indian Rupees of Two Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE SCHEDULED BANK (WHETHER SITUATED AT RAIPUR OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT RAIPUR. BONDS ISSUED BY CO- OPERATIVE BANKS ARE NOT ACCEPTED.)

To,  
The Director  
All India Institute of Medical Sciences (AIIMS),  
Tatibandh, GE Road,Raipur-492 099 (CG)

**LETTER OF GUARANTEE**

WHEREAS All India Institute of Medical Sciences (AIIMS) Raipur (Buyer) have invited Tenders vide Tender No..... Dt..... for purchase of ..... AND WHEREAS the said tender document requires the supplier / firm (seller) whose tender is accepted for the supply of instrument / machinery, etc. in response thereto shall establish an irrevocable Performance Guarantee Bond in favour of "AIIMS Raipur" in the form of Bank Guarantee for Rs..... [10% (ten percent) of the purchase value] which will be valid for entire warranty period from the date of installation & commissioning, the said Performance Guarantee Bond is to be submitted within 30 (Thirty) days from the date of Acceptance of the Purchase Order.

NOW THIS BANK HEREBY GUARANTEES that in the event of the said supplier/firm (seller) failing to abide by any of the conditions referred to in tender document / purchase order/ performance of the instrument / machinery, etc. this Bank shall pay to All India Institute of Medical Sciences (AIIMS) Raipur on demand and without protest or demur Rs ..... (Rupees.....).

This Bank further agrees that the decision of All India Institute of Medical Sciences (AIIMS) Raipur (Buyer) as to whether the said supplier/firm (Seller) has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

We, ..... (name of the Bank & branch) hereby further agree that the Guarantee herein contained shall not be affected by any change in the constitution of the supplier/firm (Seller) and/ or All India Institute of Medical Sciences (AIIMS) Raipur (Buyer).

Notwithstanding anything contained herein:

- a. Our liability under this Bank Guarantee shall not exceed Rs.....(Indian Rupees ..... only).
- b.This Bank Guarantee shall be valid up to .....(date) and
- c. We are liable to pay the guaranteed amount or any part thereof under this bank guarantee only and only if AIIMS Raipur serve upon us a written claim or demand on or before.....(date)

This Bank further agrees that the claims if any, against this Bank Guarantee shall be enforceable at our branch office at ..... situated at.....(Address of local branch).

Yours truly,

Signature and seal of the Guarantor

Name of the Bank:.....  
Complete Postal Address: .....

**ANNEXURE-I****TECHNICAL SPECIFICATION FOR ARTHROSCOPY INSTRUMENT & ORTHOPAEDIC EQUIPMENT****General Specifications:**

1. All the items /equipment should be USFDA and European CE Certified. Certificate of Both Standard Should be attached with Tender.
2. All the Electronic equipment should comply with Electrical safety conforms to standards for electrical safety IEC 60601-1.
3. All the equipment's power input should be 220-240 V AC, 50Hz fitted with Indian plug.
4. Compatible make instruments / extra instruments in individual sets may be coated but are to be highlighted.
5. Autoclavable /sterilizing containers specific to instruments has to be supplied along with instruments/equipment.
6. All instruments are to quote separately as they may be purchased individually. This applies more to instruments which are proprietary.
7. Schedule A,B,C,D,E instruments are to be used together and will be procured together. In case any of these schedule is not quoted or found technically responsive by any of the tenderers none of the above will be purchased.

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
<b>A</b>	<p><b><u>Arthroscopy instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set:</u></b></p> <p><b><u>Arthroscopes</u></b></p> <p>1. <b>Wide Angle Forward-Oblique Telescope 30°</b>, enlarged view, diameter 4 mm, length 18 cm, autoclavable, fiber optic light transmission incorporated,</p> <p>2. <b>Wide Angle Lateral Telescope 70°</b>, enlarged view, diameter 4 mm, length 18 cm, autoclavable, fiber optic light transmission incorporated,</p> <p>3.<b>High Flow arthroscopic Sheath with</b> snap incoupling mechanism diameter 6,5mm working length 13.5 cm, two stopcocks, rotating, for use with telescopes 0°, 30°, 70° with Obturators sharp and blunt(one each).</p> <p>4. <b>Forward-Oblique Telescope 30°</b>, diameter 2.7 mm, length 11 cm, autoclavable, fiber optic light transmission incorporated.</p> <p>5. <b>High flow arthroscopy sheath</b>with snap-in coupling mechanism, diameter 3.5 mm,working length 6.5 cm, two stopcocks, rotating, for use with 30° Telescope item no 4 with matching obturator.</p> <p>6.<b>Wide Angle Lateral Telescope 70°</b>, diameter 2.4 mm, length 10 cm, autoclavable, fiber optic light transmissionincorporated,with high flow arthroscopy sheath and snap in coupling,rotating with matching obturator.</p>	1 each	<b>CMC for Five (5) Years along with replacement warranty for Five (5) Years</b>

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>Data management and Documentation system-</b> Digital documentation system image,video and audio archiving for arthroscopic intervention.</p> <p><b>Camera, light source, videocart, and monitors</b> Camera should be HD, resolution of 1920X1080 pixels full HD progressive scan which displays 50-60 frames/sec 16:9/ 16:10 format</p> <p><b>Preferably 26” LCD/LED Monitor</b> 1080p Full HD wide view monitor with aspect ratio of 16:10</p> <p><b>LED light source</b> with lamp life of&gt;20000 hours with extra long optic cable.</p> <p><b>Imported rust free of same manufacturer Video cart</b> to house the arthroscopic instruments with high quality castors,customizable and central power supply.</p> <p><b>Irrigation system-arthropump with all accessories and tubes.</b></p> <ol style="list-style-type: none"> <li>1) Electronically controlled irrigation pressure and flow rate</li> <li>2) User friendly display of operating parameters and actual performance.</li> <li>3) Memory to retain preselected pressures and flow rates</li> <li>4) foot switch</li> </ol> <p><b>Arthroscopic shaver system with</b></p> <ol style="list-style-type: none"> <li>1) Stable torque throughout high speed shaver atleast 1000-12000 RPM.</li> <li>2) Oscillation mode 500-3000 RPM</li> <li>3) Hand control, footswitch and by LCD touch screen with different display modes.</li> <li>4) Clockwise, counterclockwise rotation</li> <li>5) Autoclavable,quick coupling of blades</li> <li>6) Pre programmed memory of the system.</li> <li>7) Standard shaver handpiece of 8000 Rpm</li> <li>8) High speed shaver handpiece of atleast 12000 RPM</li> <li>9) small joint shaver handpiece</li> </ol> <p><b>Arthroscopic shaver system with</b></p> <ol style="list-style-type: none"> <li>10) <b>Multifunction hand pieces with Jacobs chuck (keyless) upto a diameter of 6.5mm , sagittal</b></li> </ol> <p><b>Saw with attachment with blades , pin driver and Synthes Types or equivalent driver and connecting cable for FMS pump.</b></p>		



Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
<b>B</b>	<p><b>General Arthroscopic Equipment</b></p> <p>1. <b>Probe</b>, graduated, length of hook 3 mm, diameter 1.5 mm, working length 18 cm</p> <p>2. <b>Probe</b>, graduated, length of hook 3 mm, diameter 1.5 mm, working length 20 cm angled downward 10 degrees.</p> <p>3 <b>Probe</b>, graduated, length of hook 4 mm, diameter 1.5 mm, working length 8.5 cm.</p> <p>4. <b>Probe</b>, graduated, length of hook 1 mm, diameter 1 mm, working length 7.5 cm.</p> <p>5. <b>Probe</b>, graduated, length of hook 2 mm, diameter 1 mm, working length 4cm.</p> <p>6 <b>Probe</b>, graduated, length of hook 3 mm, hook angled 45°, diameter 1 mm, working length 4 cm.</p> <p>7 <b>Rasp</b>, straight, 4 x 6 mm, working length 11.5 cm</p> <p>8 <b>Pointed Knife</b>, straight, working length 11.5 cm</p> <p>9 <b>SMILLIE Knife</b>, straight, working length 11.5 cm</p> <p>10 <b>Hook Knife</b>, straight, working length 11.5 cm</p> <p>11 <b>Rosette Knife</b>, straight, working length 11.5 cm</p> <p>12 <b>Curette</b>, oval, large, curved, 10° upwards, working length 13 cm</p> <p>13 <b>Curette</b>, oval, large, curved, 30° upwards, working length 13 cm</p> <p>14 <b>Curette</b>, oval, small, curved, 30° upwards, working length 13 cm</p> <p>15 <b>Handle</b>, for use with all Mirror Attachments and Suture Curette.</p> <p>16 <b>Mirror Attachment</b>, complete set diameter 6.2 mm, working length 11 cm, for use with compatible Handle</p> <p>17 <b>Notch Chisel</b>, curved downwards 15°, working length 13 cm</p> <p>18 <b>Chisel</b>, cutting width 4 mm, working length 13 cm</p> <p>19 <b>Rasp</b>, narrow, straight, fine, working length 13 cm</p> <p>20 <b>Rasp</b>, narrow, curved, fine, working length 13 cm</p> <p>21 <b>Rasp</b>, narrow, curved, coarse, working length 13 cm</p> <p>22 <b>Rasp</b>, wide, curved, fine, working length 13 cm</p>	<b>1 each</b>	<b>Replacement warranty for Five (5) Years</b>

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>23 Irrigation Cannula</b>, with LUER-Lock, diameter 3.2 mm, working length 7 cm, for use with Obturator</p> <p><b>24 Obturator</b>, sharp, for use with Cannula item no 23</p> <p><b>25 Irrigation Cannula</b>, with LUER-Lock and stopcock, diameter 4.5 mm, working length 7 cm, for use with Obturators</p> <p><b>26 Obturator</b>, sharp, for use with Cannula item no 25</p> <p><b>27 Suction Tube</b>, diameter 5 mm, working length 15 cm</p> <p><b>28 Endoscope Holder</b>, for mounting to the instrument table, for secure and optimized storage of endoscopes up to diameter 5 mm</p> <p><b>29 Suction Tube Holder</b>, for mounting to the instrument table, for secure and optimized storage of suction tubes</p> <p><b>Punches and hand instruments</b></p> <p><b>1 Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>2. Punch</b>, through-cutting, cutting width 3.4 mm, jaws curved, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>3. Punch</b>, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>4. Punch</b>, through-cutting, cutting width 2.7 mm, jaws curved, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>5. Oval Biter</b>, through-cutting, with circumferential teeth, straight jaws, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>6 Oval Upbiter</b>, through-cutting, with circumferential teeth, curved jaws, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>7. Oval Upbiter</b>, through-cutting, cross-toothed, curved jaws, 15° upwards, sheath diameter 3.5 mm, straight, handle with cleaning connector, working length 12 cm</p> <p><b>8. Punch</b>, through-cutting, cutting width 3.4 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 20 Cm</p> <p><b>9. Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>10. punch</b>, through-cutting, cutting width 3.4 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>11.Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 20 cm</p> <p><b>12 Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 30° curved to left, working length 13 cm</p> <p><b>13 Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 30° curved to right, working length 13 cm</p> <p><b>14. Punch</b>, through-cutting, cutting width 3.4 mm, curved jaws, 90° left, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>15. Punch</b>, through-cutting, cutting width 3.4 mm, curved jaws, 90° right, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>16. Punch</b>, through-cutting, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 13 cm</p> <p><b>17 Punch</b>, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>18 Punch</b>, through-cutting, cutting width 2.7 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>19.Punch</b>, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 30° curved to left, working length 13 cm</p> <p><b>20.Punch</b>,through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 30° curved to right, working length 13 cm</p> <p><b>21. Punch</b>, through-cutting, cutting width 2.7 mm, curved jaws, 90° left, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>22. Punch</b>, through-cutting, cutting width 2.7 mm, curved jaws, 90° right, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>23. Punch</b>, through-cutting, cutting width 2.7 mm, straight jaws, sheath diameter 3 mm, 15° curved upwards, working length 13 cm</p> <p><b>24. Punch</b>, through-cutting, cutting width 1.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>25. Punch</b>, through-cutting, cutting width 1.5 mm, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm</p> <p><b>26. Scissors Punch</b>, cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<b>27. Scissor Punch</b> , cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, 10° curved to left, working length 13 cm		
	<b>28. Scissor Punch</b> , cutting width 0.5 mm, straight jaws, sheath diameter 3 mm, 10° curved to right, working length 13 cm		
	<b>29. Oval Upbiter</b> , through-cutting, cross-toothed, curved jaws, 15° upwards, sheath diameter 3 mm, straight, working length 13 cm		
	<b>30. Backbiter</b> , backward cutting, cross teathed, cutting width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm		
	<b>31. Grasping forceps</b> , spoon-shaped jaws, jaw width 4.5 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm		
	<b>32 Grasping forceps</b> , spoon-shaped jaws, jaw width 3.4 mm, straight jaws, sheath diameter 3 mm, straight, working length 13 cm		
	<b>33. Alligator Grasping Forceps</b> , surgical, straight jaws, sheath diameter 3 mm, straight, working length 13 cm		
	<b>34 Foreign Body Grasping Forceps</b> , aggressive, straight jaws, sheath diameter 3 mm, straight, working length 15 cm		
	<b>35. Foreign Body Grasping Forceps</b> , aggressive, with ratchet, straight jaws, sheath diameter 3.5 mm, straight, working length 20 cm		
	<b>36 Suture grasping forceps</b> , straight jaws, sheath diameter 3 mm, straight, working length 15 cm		
	<b>37. Suction punch</b> , straight jaws, sheath diameter 4.8 mm, working length 13 cm		
	<b>38. Meniscus Retractor</b> , with serrated jaws, with teeth and ratchet, straight jaws, straight sheath, working length 13 cm		
	<b>39. Meniscus grasping forceps</b> , with teeth and ratchet, straight jaws, straight sheath, working length 13 cm		
	<b>40. Meniscus grasping forceps</b> , with ratchet, straight jaws, straight sheath, working length 13 cm		
	<b>41. Grasping Forceps</b> , jaw length 11 mm, curved jaws, 30° upwards, straight sheath, working length 9.5 cm		
	<b>42.</b> Microfracture Chisel, curved 70°, working length 18 cm		
	<b>43.</b> Microfracture Chisel, curved 30°, working length 18 cm		
	<b>44.</b> Micro-fracture Chisel, straight, working length 12 cm		
	<b>45.</b> Microfracture Chisel, angled 30°, working length 12 cm		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>46.</b> Microfracture Chisel, angled 70°, working length 12 cm</p> <p><b>47.</b> Microfracture Chisel, angled 30°, working length 9 cm</p> <p><b>48.</b> Microfracture Chisel, angled 70°, working length 9 cm</p> <p><b>49.</b> Biopsy Set, consisting of: Biopsy Punch, with cutting tooth, to extract cartilage cells for ACT Obturator, to penetrate connective tissue without extracting tissue and to extrude excised biopsy sample O-Ring, package of 10</p> <p><b>50. Cancellous Bone Extractor</b>, with expeller, T-shaped handle, calibrated, outer diameter 6 Mm</p> <p><b>51. Cancellous Bone Extractor</b>, with expeller, T-shaped handle, calibrated, outer diameter 7 mm</p> <p><b>52. Cancellous Bone Extractor</b>, with expeller, T-shaped handle, calibrated, outer diameter 8 Mm</p> <p><b>53. Cancellous Bone Extractor</b>, with expeller, T-shaped handle, calibrated, outer diameter 9 Mm</p> <p><b>54 Sleeve</b>, inner diameter 5 mm, working length 70 mm, for use with Handle and Tap</p> <p><b>55 Sleeve</b>, inner diameter 6 mm, working length 70 mm, for use with Handle and Tap</p> <p><b>56 Sleeve</b>, inner diameter 7 mm, working length 70 mm, for use with Handle and Tap,</p> <p><b>57 Sleeve</b>, inner diameter 8 mm, working length 70 mm, for use with Handle and Tap</p> <p><b>58 Sleeve</b>, inner diameter 9 mm, working length 70 mm, for use with Handle and Tap</p> <p><b>59 Sleeve</b>, inner diameter 10 mm, working length 70 mm, for use with Handle and tap</p> <p><b>60 Sleeve</b>, inner diameter 11 mm, working length 70 mm, for use with Handle and Tap,</p> <p><b>61 Sleeve</b>, inner diameter 12 mm, working length 70 mm, for use with Handle and Tap</p> <p><b>62 Handle</b>, for use with Tap</p> <p><b>63 Tap</b> For use with handle</p> <p><b>64Tappet</b>, diameter 5 mm, for use with Handle and Sleeve</p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>65 Tappet</b>, diameter 6 mm, for use with Handle and Sleeve</p> <p><b>66 Tappet</b>, diameter 7 mm, for use with Handle and Sleeve</p> <p><b>67. Tappet</b>, diameter 8 mm, for use with Handle and Sleeve</p> <p><b>68. Tappet</b>, diameter 9 mm, for use with Handle and Sleeve</p> <p><b>69. Tappet</b>, diameter 10 mm, for use with Handle and Sleeve</p> <p><b>70. Tappet</b>, diameter 11 mm, for use with Handle and Sleeve</p> <p><b>71. Tappet</b>, diameter 12 mm, for use with Handle and Sleeve</p> <p><b>72. Handle</b>, for use with monofilament threads size USP 2-0 to 2, for use with Suture Attachments and Wheel Attachment</p> <p><b>73. Wheel Attachment</b>, for use with monofilament threads size USP 2-0 to 2, for use with Handle and Wheel</p> <p><b>74. Wheel</b>, for use with monofilament threads size USP 2-0 to 2, for use with Wheel Attachment</p> <p><b>75. Suture Attachment</b>, straight, working length 13 cm, for use with Handle</p> <p><b>76. Suture Attachment</b>, distal angled 180° to the right, working length 13 cm, for use with Handle</p> <p><b>77. Suture Attachment</b>, distal angled 180° to the left, straight, working length 13 cm, for use with Handle</p> <p><b>78. Suture Attachment</b>, distal angled 360° to the right, straight, working length 13 cm, for use with Handle</p> <p><b>79. Suture Attachment</b>, distal angled 360° to the left, straight, working length 13 cm, for use with Handle</p> <p><b>80. Suture Attachment</b>, distal angled 20° upwards, straight, working length 13 cm, for use with Handle</p> <p><b>81.Suture Attachment</b>, distal angled 20° upwards, straight, working length 14 cm, for use with Handle</p> <p><b>82. Cleaning Adaptor</b>, for use with Suture Attachments</p> <p><b>83. Cleaning Adaptor</b>, for use with Handle</p> <p><b>84. Cannula</b>, for use with Suture Attachments</p> <p><b>85. Obturator</b>, for use with Cannula</p> <p><b>86. Knot Tier</b></p>		

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>87. Suture Curette Attachment</b>, for retinaculum suture, for use with Handle</p> <p><b>88. Thread Grasping Forceps</b>, working length 12.5 cm</p> <p><b>89. BioPlug, bioresorbable suture anchor</b>, diameter 4.2 mm, length 11 mm, sterile, for single use, for use with Inserter</p> <p><b>90. Drill</b>, for preparation of the tunnel for BioPlug with lasermarking for the depth of the drill hole, diameter 3.7 mm, length 15 cm</p> <p><b>91. Inserter</b>, with lateral thread guide and thread clip at the handle, working length 9 cm, for use with BioPlug</p> <p><b>92. Drill</b>, for preparation of the tunnel for Medial Patello femoral Lig reconstruction, with penetration stop, diameter 4.5 mm, for use with Gauge</p> <p><b>93. Gauge</b>, for MPFL reconstruction, with handle, for use with Drill bit</p>		
<b>C</b>	<p><b>Anterior /posterorcruciate ligament reconstruction set-Primary and revision</b></p> <ol style="list-style-type: none"> <li>1. Tendon stripper,graduated, closed 5.5mm length 30 cm.</li> <li>2. Tendon stripper,graduated, closed 7 mm length 30 cm.</li> <li>3. Tendon stripper,graduated, open 7.5 mm length 30 cm.</li> <li>4. Tendon hook</li> <li>5. Tendon board for single and double bundle ACL reconstruction with gauge and looping tower.</li> <li>6. Tendon thickness tester for checking thickness of tendon 7-12 mm in intervals of 0.5mm.</li> <li>7. Thread clip-2</li> <li>8. Tissue forceps – 2</li> <li>9. Chisel-8mm with handle</li> <li>10. Tendon knife blunt</li> <li>11. Patellar saw template for harvesting bone tendon bone graft-8mm,9mm,10mm –One each</li> <li>12. Measuring block with bone block holder and bone holding forceps to measure the size of a bone Block.</li> <li>13. Coring reamers to harvest bone block with tendon with T –shaped handle - 7mm, 8mm, 9mm, 10mm –one each</li> <li>14. Cannulated bone drill for tibial tunnel, graduated with drill sleeve-6,7,8,9,10mm –One each</li> </ol>	<b>1 each</b>	<b>Replacement warranty for Five (5) Years</b>

<b>Schedule</b>	<b>Name of Equipment/ Instrument / Consumable / items with detail specifications</b>	<b>Qty</b>	<b>Warranty &amp; AMC/CMC</b>
	<p><b>15.</b> Cannulated bone drill for femoral tunnel, graduated-5, 6, 7, 8, 9, 10mm- One each</p> <p><b>16.</b> Blade dilator oval, cannulated to compress cancellous bone with handle-7, 8, 9, 10 mm.</p> <p><b>17.</b> Tendon thickness tester for oval tendon cross section.</p> <p><b>18.</b> Length gauge.</p> <p><b>19.</b> Thread catcher.</p> <p><b>20.</b> Larding wire pyramidal tip, diameter 2.4mm length 32 cm -10.</p> <p><b>21.</b> Drilling wire spiral shape with eyelet, diameter 2.4mm length 38 cm-10.</p> <p><b>22.</b> Tensiometer for measuring the tension of graft.</p> <p><b>23.</b> Metal mallet with plastic head.</p> <p><b>24.</b> Femoral target guide with handle for ACL reconstruction, offset 3mm, 4mm, 5.5mm for transtibial femoral tunnel-one each.</p> <p><b>25.</b> Femoral target guide attachment with handle to make femoral tunnel by medial portal with handle, 7,8,9,10mm offset-one each.</p> <p><b>26.</b> Femoral target guide for outside in tunnel technique of ACL.</p> <p><b>27.</b> Tibial target guide for ACL reconstruction with correction sleeve.</p> <p><b>28.</b> Femoral target guide for double bundle ACL reconstruction with handle-8,9,10 mm offset -one Each.</p> <p><b>29.</b> Tibial target guide for double bundle ACL reconstruction.</p> <p><b>30.</b> Femoral target guide for PCL reconstruction graduated working length 14.5cm.</p> <p><b>31.</b> Femoral target guide with handle for PCL reconstruction for use through anterolateral portal 4 locking positions for drill 7,8,9,10 mm.</p> <p><b>32.</b> Tibial target guide for PCL, straight, curved to left, curved to right - one each.</p> <p><b>33.</b> PCL elevator with T shaped handle, Straight handle -one each.</p> <p><b>34.</b> Thread catcher for PCL reconstruction.</p> <p><b>35.</b> PCL awl.</p> <p><b>36.</b> Raspatory for PCL reconstruction.</p>		



Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>37.</b> Cannulated screw driver for Titanium and bioabsorbable interference screws-one each</p> <p><b>38.</b> Notcher with fin like blade to assist in inserting interference screws.</p> <p><b>39.</b> Revision ACL set with</p> <p style="padding-left: 20px;">A) Revision screw driver blade with handle size 1.9, 2.3, 2.4, 2.7, 3.4mm working length 12.5cm-one Each.</p> <p style="padding-left: 20px;">B) Large fragment screw driver blade-3.5mm, small fragment screw driver blade-2.5mm with Handle -one each.</p> <p><b>40.</b> Arthroscopic leg holder with all round padding, 360 swivel and rotating, height adjustable with Appropriate clamp to fit into the side rail of table</p>		
<b>D</b>	<p><b>Shoulder Arthroscopy instruments</b></p> <p><b>1)</b> Changing rod length 23 cm for use with 4mm arthroscopic sheath – Two</p> <p><b>2)</b> Guiding rod with pressure plate for making a second portal length 35 cm for use with 4mm arthroscopic sheath -Two</p> <p><b>3)</b> Portal system with positioning needle with trocar, cannulated dilator and trocar sheath with handle (complete set)</p> <p><b>4)</b> Suture attachment with working length 150mm with handle</p> <p style="padding-left: 20px;">-Straight with curved distal tip, 5mm, 7mm,8mm in height ,hook shaped distal tip 8mm-2 each</p> <p><b>5)</b> Suture attachment with working length 150mm with handle</p> <p style="padding-left: 20px;">- Angled 30 degrees to the right,8 mm in height.</p> <p style="padding-left: 20px;">- Angled 30 degrees to the left, 8 mm in height.</p> <p><b>6)</b> Suture forceps, curved downwards distal tip length 2.7mm working length 140mm.</p> <p><b>7)</b> Suture forceps, curved upwards distal tip length 2.7mm working length 140mm.</p> <p><b>8)</b> Dissecting and grasping forceps working length 15 cm diameter 3mm</p> <p style="padding-left: 20px;">- Single jaw</p> <p style="padding-left: 20px;">- Double jaw</p> <p style="padding-left: 20px;">- Toothed double action jaw</p> <p><b>9)</b> Elevator with curved downwards 30 degrees, distal end width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p><b>10)</b> Elevator with curved downwards 15 degrees, distal end width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p><b>11)</b> Elevator with curved downwards 15 degrees, blade turned 180 distal end curved upwards width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p>	<b>1 each</b>	<b>Replacement warranty for Five (5) Years</b>

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
	<p><b>12)</b> Elevator with curved downwards 30 degrees, blade turned 180 distal end curved upwards width 4mm working length 15cm for use with cannula with internal diameter of 8.25mm.</p> <p><b>13)</b> Rasp double sided distal end curved in sheath for use in glenoid or SLAP lesions working length 15 cm, for use with cannula with internal diameter of 8.25mm.</p> <p><b>14)</b> Insertion handle with disposable cannula with integrated seal inner diameter 8.25 mm with 70mm working length.</p> <p><b>15)</b> Osteotome width 6mm sheath diameter 6mm,working length 17cm with handle.</p> <p><b>16)</b> Curette straight small, sheath diameter 6mm ,working length 17cm with handle.</p> <p><b>17)</b> Arthroscopic probe/hook diameter 3.5mm length of hook 2mm working length 18cm</p> <p><b>18)</b> Punch working length 18cm.</p> <p><b>19)</b> Hook scissors working length 18cm.</p> <p><b>20)</b> Grasping forcepsworking length 18cm.</p> <p><b>21)</b> Suture anchor system with bone punch, threaded drill and inserter.-Two</p> <p><b>22)</b> High flow arthroscopic sheath diameter 5.5mm with snap locking and two stop corks, rotating with blunt trocar.</p>		
<b>E</b>	<p><b>Radiofrequency Ablation system</b></p> <ol style="list-style-type: none"> <li>1) Controls on hand piece</li> <li>2) Multiple distinct power levels</li> <li>3) Impedence detection technology</li> <li>4) User friendly display</li> <li>5) Powerful generator with output of 400 watts.</li> <li>6) Bendable probes with all tips described in printed product manual.</li> <li>7) For use in arthroscopic surgery</li> </ol>	<b>1 each</b>	<b>AMC for Five (5) Years</b>
<b>F</b>	<p><b>Radiolucent Cervical Retractor and Distractor System: Manual &amp; Self Retaining types</b></p> <ul style="list-style-type: none"> <li>• The system should have left and right cervical CASPAR type distractor with adjustable angles.</li> <li>• The system must have transverse and longitudinal Cervical retractor.</li> <li>• The screws for CASPAR type distractor should be of 2.7 mm dia and length should be 14 and 16 mm.</li> <li>• Cervical retractor and distractor should come with medial, lateral and lateral blunt blade with the following specifications.</li> <li>• Medial Blade, Lateral Blade and Lateral Blunt Blade: <b>(width X length)</b> 23 X 40 mm, 23 X 45 mm, 23 X 50, 23 X 55mm, 23 X 60 mm, 23 X 65 mm, 23 X 75 mm</li> <li>• The system must have tweezers for changing the blades with the length of 115 mm.</li> </ul>	<b>1 each</b>	<b>Replacement warranty for Five (5) Years</b>

Schedule	Name of Equipment/ Instrument / Consumable / items with detail specifications	Qty	Warranty & AMC/CMC
<b>G</b>	<p><b>KERRISON PUNCH</b></p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 1mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 2mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 3mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 4mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 5mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 6mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 1mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 2mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 3mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 4mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Upward 40° 5mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 1mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 2mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 3mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 4mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 5mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 1mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 2mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 3mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 4mm 18cm</p> <p>Ferris Smith-Kerrison Rongeur Downward 5mm 18cm</p>	<b>1 each</b>	<b>Replacement warranty for Five (5) Years</b>

-----  
(Signature & Stamp of the bidder)

*Note- Please sign each page of document including terms & conditions of tender*

**ANNEXURE-II (A)****PRICE SCHEDULE FOR DOMESTIC GOODS OR GOODS OF FOREIGN ORIGIN LOCATED WITHIN INDIA**

Schedule	Item Description	Qty	Unit Price in INR	Taxes (if applicable) VAT / Sales Tax/etc in INR	Any Other Charges in INR if applicable (Specify)	Unit Price including tax and other charges 7=4+5+6	Total in INR (Unit price x Quantity + Other Charges) 7x3
1	2	3	4	5	6	7	8
A	Arthroscopy Instrument set for knee, shoulder and wrist complete with instrumentation and accessories and ACL set	1 each					
B	General Arthroscopic Equipment	1 each					
C	Anterior / posterocruciate ligament reconstruction set-primary and revision	1 each					
D	Shoulder Arthroscopy Instruments	1 each					
E	Radiofrequency Ablation System	1 each					
F	Radiolucent Cervical Retractor and Distractor System: Manual & Self Retaining types	1 each					
G	Kerrison Punch	1 each					
Instruments should be with 5 years replacement warranty							
AMC/CMC for five (5) years after warranty							
<b>* Grand Total</b>							

Total Tender price in Rupees:..... In words

**Note:** - 1. The schedule wise total \* will be the deciding factor for L1 provided all the other conditions mentioned in the tender document are fulfilled.

2. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.

3. L1 will be decided = AMC/CMC + price.

4. Price Bid should be submitted in given format only. For additional information/extra items above format may be typed and used.

**Name :** .....

**Place:**.....

**Business Address:**.....

**Date :**.....

**Signature and Seal of Tenderer**

**ANNEXURE-II (B)**  
**PRICE SCHEDULE FOR GOODS TO BE IMPORTED FROM ABROAD**

1	2	3	4	5					6
				Price per unit / basis at AIIMS, Raipur					
Schedule	Brief Description of Goods	Country of Origin	Quantity (Nos.)	FOB price at port/ airport of Lading (a)	Carriage & Insurance (port of loading to port of entry) and other Incidental costs** (b)	Incidental services including installation & commissioning, supervision, Demonstration and Training) at the Consignee's site (c)	Transportation from port of entry to the consignee site, storage and extended Insurance for a period of 3 months beyond date of delivery** (d)	Unit Price on FOR Named Port of Destination + Extended Insurance (local transportation and storage) (e)	Total price on FOR Named Port of Destination + Insurance (local transportation and storage) 4 x 5 (g)
A	Arthroscopy Instrument set for		1 each						
B	General Arthroscopic Equipment		1 each						
C	Anterior / posterocruciate		1 each						
D	Shoulder Arthroscopy		1 each						
E	Radiofrequency Ablation System		1 each						
F	Radiolucent Cervical Retractor		1 each						
G	Kerrison Punch		1 each						
<b>Total</b>									
Instruments should be with 5 years replacement warranty									
AMC/CMC for five (5) years after warranty									
<b>Grand Total</b>									

Total Tender price in foreign currency: \_\_\_\_\_

In words: \_\_\_\_\_

- Note:** -
1. The schedule wise total \* will be the deciding factor for L1 provided all the other conditions mentioned in the tender document are fulfilled. L1 will be decided = AMC/CMC + price.
  2. If there is a discrepancy between the unit price and total price THE UNIT PRICE shall prevail.
  3. The tenderer will be fully responsible for the safe arrival of the goods at the named port of entry in good condition as per terms of CIP as per INCOTERMS, if applicable. Purchaser will make payment after receipt of goods at consignee's site/store in good condition
  4. Price Bid should be submitted in given format only. For additional information/extra items above format may be typed and used.
  5. All the component of total price (i.e. column no. 6 will be paid by tenderer including Custom Duty, Custom Clearing charges and transportation as per terms of contract FOR AIIMS Raipur. CDEC will be issued to tenderer on demand.

**Indian Agent:**

**Indian Agency Commission - \_\_\_% of FOB**

**Signature of Tenderer** \_\_\_\_\_

**Place:** \_\_\_\_\_

**Date:** \_\_\_\_\_

**Name** \_\_\_\_\_

**Business Address** \_\_\_\_\_

**Signature of Tenderer** \_\_\_\_\_

**Seal of the Tenderer** \_\_\_\_\_

**PRICE SCHEDULE FOR ANNUAL MAINTENANCE CONTRACT**  
**(A.M.C. ) / COMPREHENSIVE MAINTENANCE CONTRACT**  
**(C.M.C) AFTER EXPIRY OF WARRANTY**

**(RATES SHOULD BE QUOTED IN INDIAN RUPEES ONLY )**

Sr No	SME Code No.	Name of the Equipment	For Sixth year with spare parts & labour	For Seventh year with spare parts & labour	For Eighth year with spare parts & labour	For Ninth year with spare parts & labour	For Tenth year with spare parts & labour
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)

Place:

Date:

Signature  
Name in Capital Letters  
Designation

**SPECIAL CONDITIONS**

1. The bidders should quote all instrument / equipment of each schedule is mandatory, failing which the tenderer will be cancelled. L1 will be decided schedule wise of each schedule.
2. The bidders should submit the relevant certificates / evidence of previous supply to other hospitals. If required, the technical committee may enquire from the other hospitals where the bidders have supplied the material.
3. The bidders should also submit a certificate from the relevant authority as to the quality of the equipment.
4. The bidder should not have been blacklisted before.
5. The bidders shall also arrange for the demonstration of their equipment to the concerned committee regarding the quality aspect.

The above quote should be made schedule wise and should include all applicable taxes. Schedule wise comparison of the quotes will be made and L1 for each schedule will be determined accordingly. If the rates of L1 are quoted for various items from different bidders, then AIIMS Raipur reserve the right to either accept the L1 of different firm/agencies or will negotiate, with the firm who has quoted the maximum gross value of L1 items to lower the rate of other item up to the limit of L1 quoted by other firms, provided that such quoted items are not interdependent on each other. In this context, final decision of the committee will be binding to all and no claim in this regard can be entertained. The quantity indicated is tentative and may vary, and any decision in this regard by Director AIIMS Raipur shall be final.

**Declaration by the Bidder**

1. This is to certify that I/We before signing this tender have read and fully understood all the terms and conditions contained in Tender document regarding terms & conditions of the contract, rules regarding purchase of Arthroscopy Instrument & Orthopaedic Equipment. I/we agree to abide them.
2. No other charges would be payable by Client and there would be no increase in rates during the Contract period.

Place:.....

**(Signature of Bidder with seal)**

Date:.....

Name :

Seal :

Address:

MANUFACTURER's / PRINCIPAL's AUTHORIZATION FORM

To

The Store Officer,  
All India Institute of Medical Sciences Raipur

Dear Sir,

TENDER: \_\_\_\_\_.

we, \_\_\_\_\_, who are established and reputable manufacturers of \_\_\_\_\_, having factories at \_\_\_\_\_ and \_\_\_\_\_, hereby authorize (Sole Distributor/Supplier) Messers. \_\_\_\_\_ (name and address of agents) to bid, negotiate and conclude the contract with you against Tender No. \_\_\_\_\_ for the above goods manufactured by us. No company or firm or individual other than Messers. \_\_\_\_\_ are authorized to bid, negotiate and conclude the contract in regard to this business against this specific tender.

We hereby extend our full guarantee and warranty as per the conditions of tender for the goods offered for supply against this tender by the above firm.

The authorization is valid up to \_\_\_\_\_

Yours faithfully,

(Name)

For and on behalf of Messrs. \_\_\_\_\_  
(Name of manufacturers)/Principal.