



Tender Enquiry No. ADMIN/Tender/Kitchen Equipment /1/2014

Corrigendum for Kitchen Equipment Tender

S.No.	Clause	Existing Parameter	Amendment
1	Page no. 1 point no. 4	Last Date of submission : 30-07-2014 at 03:00 PM	Last Date of submission : 07-08-2014 at 03:00 PM
2	Page no. 2	“Tender For Supply, Installation, Testing and Commissioning of Kitchen Equipments” at AIIMS Raipur and should reach at the office of “The Administrative Officer, AIIMS, Tatibandh, Raipur (C.G.) - 492099, by or before at 03.00 PM on 27-07-2014.	“Tender For Supply, Installation, Testing and Commissioning of Kitchen Equipments” at AIIMS Raipur and should reach at the office of “The Administrative Officer, AIIMS, Tatibandh, Raipur (C.G.) - 492099, by or before at 03.00 PM on 07-08-2014 .
3	Page No. 2 & 14	EMD 1,00,000/- (One Lakh)	EMD 2,00,000/- (Two Lakhs)
4	Page no. 6 Sr. No. 1	Hot Bain Marie with 5 no’s 1x1 gastro-norm pans with running platform Hot Bain Marie with 1 under shelves and 5 nos 18 SWG of size 12"x24"x8" with running platform size 72"x16". Lower shelf of 16 SWG Stainless Steel mounted on 14 SWG 1.5"x1.5" SS pipe framework. Lower shelf at height of 6" fitted with adequate horizontal supports of 0.75"x1.5" 16 SWG framework. PVC shoes fitted into all four legs. Size of Equipment (in inches): 72x30x34 + 72x16 Quantity - 2	Service Counter with 5x1/1x200mm deep GN Pan Bain Marie with Tray Rail, 1 U/S & 3 Sides Closed. Top in 16SWG 304 grade SS sheet, 1 U/S in 18 SWG 304 grade SS Sheet (U/S fitted at 150mm from floor), Tray Rail in 18 SWG 304 grade SS Corrugated Sheet, Bain Marie Tank in 18 SWG 304 grade SS Sheet, Uprights in 35x35x16SWG SS Pipes, Internal frame in 25x25x3mm SS Angle, 3 Sides closed with 19SWG 304 grade SS sheet, 5 x 1/1 x200 GN Pans with Lid, Electrical 3 KW I phase water emersion heater, thermostatic control, temp range 50-110 C, On/Off toggle switch, Indicator Lamps. Size:1800x650+300x850mm ht. Quantity - 4
5	Page no. 7 Sr. No. 2	Hot Bain Marie with 10 no’s 1x2 gastro-norm pans with running platform Hot Bain Marie with 1 under shelves and 10 nos 18 SWG of size 12"x12"x8" with running platform size 72"x16". Lower shelf of 16 SWG Stainless Steel mounted on 14 SWG 1.5"x1.5" S S pipe framework. Lower shelf at height of 6" fitted with adequate horizontal supports of 0.75"x1.5" 16 SWG framework. PVC shoes fitted into all four legs.	Deleted

S.No.	Clause	Existing Parameter	Amendment
6	Page no. 14 Sr. No. 04	<p><u>Hot Plate with Puffer Jali</u> Hot plate with puffer jali of size 36x30x34+6 with 1 undershelves, top mild steel with puffer jali in 1/3 of its area plate of 0.5" thick shelf mounted on 14 SWG 1.5"x1.5" SS pipe framework. Lowest shelf at height of 6" . Each shelf fitted with adequate horizontal supports of 0.75"x1.5", 16 SWG framework. PVC shoes fitted into all four legs. Stainless Steel for all items shall be 304 grade.</p>	<p><u>Hot Plate with Puffer Jali</u> Hot plate with puffer jali of size 900x750x850+150mm ht. with 1 undershelves, top mild steel plate 12mm thick, plate size 600x750mm, Puffer Plate Cast iron with 3mm holes of size 300x600, 5mm thick. Uprights in 35x35x16SWG SS Pipes, Internal frame in 25x25x3mm SS Angle, 3 Sides cladding in 19SWG 304 grade SS sheet upto 250mm from top plate, 1 U/S in 18 SWG 304 grade SS Sheet (U/S fitted at 150mm from floor), Provision of Ignition window & oil collection gutter in SS on 3 sides of plate & 150mm high splash guard on rear, 3 nos V-600 burners, 1 pilot burner, 4 Needle Control Valves, 4 Buner Cu Pigtails & Manifold System.</p>
7	Page no. 14 Sr. No. 05	<p><u>Dosa Tawa</u> Dosa plate of size 42x30x34+6 with 1 undershelves, top mild steel with puffer jail in 1/3 of its area plate of .5" thick shelf mounted on 14 SWG 1.5"x1.5" SS pipe framework. Lowest shelf at height of 6" . Each shelf fitted with adequate horizontal supports of 0.75"x1.5" 16 SWG framework. PVC shoes fitted into all four legs. Stainless Steel for all items shall be 304 grade.</p>	<p><u>Dosa Tawa</u> Dosa plate of size 42x30x34+6 with 1 undershelves, top mild plate of .5" thick shelf mounted on 16 SWG 1.5"x1.5" SS pipe framework. Lowest shelf at height of 6" . Each shelf fitted with adequate horizontal supports of 0.75"x1.5" 16 SWG framework. PVC shoes fitted into all four legs. Stainless Steel for all items shall be 304 grade.</p>
8	Page no. 10 as S.no. 10	<p><u>Dough Kneading Machine with 5 HP Motor</u> Capacity- 25 Kg Body completely constructed of heavy duty cast iron with gear box mounted on the top the mixing bowl of S.S-304 sheet 14 SWG with S.S-304 arm to mix the dough and is operated electrically with heavy duty motor of 1 hp. Motor shall be S1 type of IS : 325 standard (Latest version) and of Kirloskar/ NGEF/ Siemens/ ABB/ GEC/ Crompton Greaves make.</p>	<p><u>Dough Kneading Machine with 5 HP Motor</u> Capacity- 25 Kg Body completely constructed of heavy duty cast iron with gear box mounted on the top the mixing bowl of S.S-304 sheet 14 SWG with S.S-304 arm to mix the dough and is operated electrically with heavy duty motor of 2 hp. Motor shall be S1 type of IS : 325 standard (Latest version) and of Kirloskar/ NGEF/ Siemens/ ABB/ GEC/ Crompton Greaves make.</p>
9	Page no. 10 as S.no. 11	<p><u>Pulveriser with 2.5 HP Motor</u> Pulveriser 2.5 HP- Body completely constructed of S.S-304 sheet 14 SWG with and is operated electrically with heavy duty motor of 2.5 HP. Motor shall be S1 type of IS : 325 standard (Latest version) and of Kirloskar/ NGEF/ Siemens/ ABB/GEC/ Crompton Greaves make.</p>	<p><u>Pulveriser with 3 HP Motor</u> Pulveriser 3 HP- Body completely constructed of S.S-304 sheet 14 SWG with and is operated electrically with heavy duty motor of 3 HP. Motor shall be S1 type of IS : 325 standard (Latest version) and of Kirloskar/ NGEF/ Siemens/ ABB/GEC/ Crompton Greaves make.</p>
10	Page no. 10 & 11 as S.no. 12	<p><u>Potato Rumbler/Peeler</u> Capacity-25 Kg The heavy duty peeling drum is made of 18 SWG. SS sheet on</p>	<p><u>Potato Rumbler/Peeler</u> Capacity-20 Kg The heavy duty peeling drum is made of 18 SWG. SS sheet on three nos tiny legs with adjustable</p>

S.No.	Clause	Existing Parameter	Amendment
		three nos tiny legs with adjustable bullet feet and a rotating disc of SS sheet being connected with heavy duty motor of S1 type of IS:325 standard, single/three phase and of Kirloskar/NGEF/ Siemens/ ABB/ GEC/Crompton make. Also pasted with emery granules inside the drum and on rotating disc to peel and fitted with water inlet valve and aluminum casting/SS sheet our pour to extract peeled potatoes.	bullet feet and a rotating disc of SS sheet being connected with heavy duty motor of S1 type of IS:325 standard, single/three phase and of Kirloskar/NGEF/ Siemens/ ABB/ GEC/Crompton make. Also pasted with emery granules inside the drum and on rotating disc to peel and fitted with water inlet valve and aluminum casting/SS sheet our pour to extract peeled potatoes.
11	Page no. 11 as S.no. 14	Wet Grinder 15 Liters capacity (tilting facility and cover on Top. Floor mounting Heavy Duty Body, Grinding Drum : SS 16 gauge Drum, Pestle : Rotating Stoe, 2.5 HP Motor (Kirloskar/NGEF/ Siemens/ABB/ GEC/ Crompton) with gearbox drive through V belt arrangement.	Wet Grinder 15 Liters capacity (tilting facility and cover on Top. Floor mounting Heavy Duty Body, Grinding Drum : SS 16 gauge Drum, Pestle : Rotating Stoe, 2 HP Motor (Kirloskar/NGEF/ Siemens/ABB/ GEC/ Crompton) with gearbox drive through V belt arrangement.
12	Page no. 13 as S.no. 19	Exhaust Hood with filters Exhaust hood with filters of size 66x33x24 ,18 SWG. Stainless Steel for all items shall be 304 grade, complete with chimney outlet.	Exhaust Hood with filters Exhaust hood with filters of size 20x20x2" thk ,18 SWG. Stainless Steel for all items shall be 304 grade, complete with chimney outlet.
13	Page no. 13 as S.no. 20	Exhaust Hood with Filters Exhaust hood with Filters of size 39x39x24 +6, 18 SWG. Stainless Steel for all items shall be 304 grade complete with chimney outlet.	Exhaust Hood with Filters Exhaust hood with Filters of size 20x20x2" thk +6, 18 SWG. Stainless Steel for all items shall be 304 grade complete with chimney outlet.
14	Addendum as Sr. No. 24	Spoons	Spoons: Specifications : SS Spoon – SS 304 Quantity – 1000 nos (25 gms each)
15	Addendum as Sr. No. 25	Steel Glass	Steel Glass: Specifications : SS Glass – SS 304 Quantity – 500 nos (75 gms each) Capacity - 300 ml
16	Addendum as Sr. No. 26	--	Water Jug Stainless Steel with lid Specifications : SS Jug with lid – SS 304 Capacity-1.5 Ltrs Quantity – 50 nos.
17	Addendum as Sr. No. 27	--	Tea Cup Specifications : China Clay White Colour Capacity-150 ml Quantity – 400 nos.
18	Addendum as Sr. No. 28	--	Pressure Cooker : Make: Prestige / Hawkins SS or better Capacity-20 Ltrs Quantity – 04 nos.
19	Addendum as Sr. No. 29	--	SS Rice Serving Spoon : Length-13" Quantity – 20 nos.

S.No.	Clause	Existing Parameter	Amendment
20	Addendum as Sr. No. 30	--	SS Dal Serving Spoon : Length-13" Quantity – 20 nos.
21	Addendum as Sr. No. 31	--	SS Vegetable Serving Spoon : Length-13" Quantity – 20 nos.
22	Addendum as Sr. No. 32	--	SS Tea Kettle : Capacity-02 Ltrs Quantity – 10 nos.
23	Addendum as Sr. No. 33	--	Iron Karahi alongwith matching covers : Dia - 66 cm Quantity – 06 nos.
24	Addendum as Sr. No. 34	--	<u>Insect Killer</u> Size - 24" Long Quantity - 10 nos.
25	Addendum as Sr. No. 35	--	<u>Air Curtain</u> Size:1500X230X212. Quantity – 03 nos. Air Curtain of Euronics / Technocrat or equivalent make.
26	Addendum as Sr. No. 36	--	SS Round Vessel alongwith matching covers : Capacity – 20 Ltrs Gauge – 18" Maximum Quantity – 10 nos.
27	Addendum as Sr. No. 37	--	SS Steel Jali : SS Rice Collnder - 22" dia. Gauge – 22" Quantity – 10 nos.
28	Addendum as Sr. No. 38	--	SS Knife different : Quantity – 20 nos.
29	Addendum as Sr. No. 39	--	SS Butter Knife : Size : Different sizes Quantity – 20 nos.
30	Addendum as Sr. No. 40	--	Plastic Salt & Paper Set : Quantity – 50 nos. Weight – 50 gms
31	Addendum as Sr. No. 41	--	Bellan & Pata (Wooden) : Quantity – 10 nos.
32	Addendum as Sr. No. 42	--	Boocher Knife : Quantity – 06 nos.
33	Addendum as Sr. No. 43	--	Fibre Choping Board : Size – 2' X 2' Quantity – 06 nos.
34	Addendum as Sr. No. 44	--	SS Bucket : Capacity – 08 Ltrs Gauge – 18" Quantity – 06 nos.
35	Addendum as Sr. No. 45	--	SS Gumbla : dia – 26" Ltrs Gauge – 20 Quantity – 10 nos.
36	Addendum as	--	SS Casserole : Capacity: 2000 ml

S.No.	Clause	Existing Parameter	Amendment
	Sr. No. 46		Shape: Round Quantity – 10 nos
36	Addendum as Sr. No. 47	--	SS Drum with matching cover : capacity – 30 Ltrs Gauge – 18 Quantity – 10 nos.
37	Addendum as Sr. No. 48	--	SS Chapati Chimta : Length – 13” Quantity – 18 nos.
38	Addendum as Sr. No. 49	--	SS Fork : Quantity – 40 nos.
39	Addendum as Sr. No. 50	--	Gas Lighter (Crystal make) : Quantity – 10 nos.
40	Addendum as Sr. No. 51	--	Tea Stainer (SS make) : Quantity – 10 nos.
41	Addendum as Sr. No. 52	--	Aluminum Saucepans with handle : Size – 14 KGs Quantity – 04 nos.
42	Addendum as Sr. No. 53	--	Tandoor Gas Operator Size: 900x900x900mm Quantity – 01
43	Addendum as Sr. No. 54	--	Hot Plate Gas Operator Size – Standard Quantity – 01
44	Addendum as Sr. No. 56	--	1. Centrifugal Blower: Full M. S. construction with 5 HP, III Phase, 1440 rpm electrical motor, antivibration pad, M.S. Mounting Stand, Canvas connection. 2Nos. (for 2 different Kitchens) 2. Ducting in 24SWG G. I. Sheet. Total 2 x 150 = 300sq mt.
45	Addendum as Sr. No. 57	--	6 Cylinder Manifold 4 x 2 Manifold System with all fittings & pipeline in MS 'C' class 12mm NB Pipe. Cylinder Cabinet to house 4 x 2 cylinders in MS angle & jali with locking arrangement.
46	Addendum as Sr. No. 58	--	4 Door Vertical Chiller / Freezer Specifications : Capacity – 1200 ltrs Dimension : 1314 X 845 X 2100 (in MM) Temperature : +1 degree to +8 degree celcius Compressor : Danfoss Make/Equivalent Cooling Type : Frost Free Fan Flow Technology Quantity - 02
47	addendum as Sr. No. 59	--	Semi Automatic Chappatti Making Machine Specifications : Capacity – 1000 Chappatis Per/Hour Elec Load : 750 W, 220 V A.C with ½ HP Motor 440V AC. Quantity - 01

S.No.	Clause	Existing Parameter	Amendment
48	addendum as Sr. No. 60	--	<u>Spiral Dough Mixer</u> Specifications : Capacity – 20 Ltrs 27”(W) X 15”(D) X 29”(H) Quantity - 02
49	addendum as Sr. No. 61	--	<u>SS Atta Maida Bin : 4 nos. (2 nos for Atta Bin + 2 nos for Maida Bin)</u> Specifications : SS 18 swg 304-4 side. Top side hinge system-20 swg SS 304.4 nos 4” plate type wheel. Size : 18”X18”X30”. Openable outlet lifting system for taking out of Atta, Maida front side. Quantity - 01
50	addendum as Sr. No. 62	--	<u>SS Pre Rinse Spray Unit</u> – Deck Mounted Type Heavy Duty Construction.20” Riser Brass Pipe.44” Flexible Hose. Santoprene inner pipe spray valve.

**Administrative officer
AIIMS, Raipur**