



Tender Enquiry No. ADMIN/Tender/Modular Laboratory Furniture /1/2015, dated 10-02-15

Corrigendum for Modular Laboratory Furniture Tender

Clause	Existing Parameter	Amendment
Page no. 19 – 20, (on both Drawing)	Bisphenol Resin coating	Deleted from both drawing
Addendum as point no. 17 & 18		<p>Electrical duct should be provided on entire laboratory instrument bench with 06 numbers of electrical points on it. Each electrical point includes two 05 pin sockets of 16A (amperes) + one 6A and two tiny trip MCB (16 ampere) which can be connected to main line.</p> <p>Any electrical wiring or plumbing work required for installation of the furniture would be borne by the bidder. Repairs of damage to existing infrastructure of the Department during the installation would be the responsibility of the bidder. The electricity and the water connections will be provided to the nearest point.</p> <p>Documents such as operation manuals, user manuals and circuit diagrams and other relevant materials shall be provided by the bidder along with equipment, free of cost.</p> <p>The sinks should be at least 6 to 7 mm thick and should not distort. The sinks should be provided with a bottle trap. It should have good tensile strength, ductility and abrasion resistance and should be stable over the range of temperatures normally encountered in research laboratories. Molded polyethylene cup drains should be molded in one piece of acid resistant polyethylene. The drain pipe used should be resistant to chemicals used in research laboratories.</p>

**Store officer
AIIMS, Raipur**